



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

INDEX.

- ACHROMATIC** object-glasses :—on the centering of, ii. 157; on computing the radii of curvature for, ii. 316; applicable to the improvement of the microscope, ii. 399.
- Achromatic telescope with a fluid concave lens, on constructing, ii. 333, 345, 356.
- Acids, influence of upon the composition of urine, i. 469.
- Aëration of the foetal blood of animals, i. 375.
- Agate, polarizing power of the, i. 453, 490.
- Air-pump and condenser, new, i. 460.
- Airy (G. B.) on the figure of the earth, ii. 290; on a correction of the solar tables required by Mr. South's observations, ii. 305; on the corrections in the elements of Delambre's solar tables required by the observations made at the observatory, Greenwich, ii. 328.
- Albumen, observations on, i. 341.
- Alcohol :—proportion of, contained in several kinds of wine, i. 408; on the state in which it exists in fermented liquors, i. 450; the vapour of, proposed for propelling machinery, ii. 98; on the mutual action of alcohol and sulphuric acid, ii. 271, 350.
- Alcohol of sulphur, or sulphuret of carbon, experiments on, i. 465.
- Alimentary substances, on the composition of, ii. 321.
- Alkalies :—fixed, decomposition of by electricity, i. 278; on the nature of the, i. 318, 350.
- Allen (W.) on the changes produced in atmospheric air, and oxygen gas, by respiration, i. 305; on the quantity of carbon in carbonic acid, and on the nature of the diamond, i. 272; on respiration, i. 345; on the respiration of birds, ii. 375.
- Allman (Dr. W.) on clearing equations of quadratic and higher surds, i. 478.
- Altona and Greenwich, experiments to determine the number of vibrations made by an invariable pendulum at, ii. 403.
- Alvine concretions found in the colon of a young man after death, ii. 156.
- Ambuscade, Dutch Frigate, account of the sinking and mode of raising, i. 124.
- America and Asia, on the question whether they are contiguous, or are separated by the sea, ii. 81.
- Amidine, gum, ii. 105.
- Ammonia :—on the elements of, i. 318, 347, 350; decomposition of, i. 314; experiments on, i. 345, 346.
- Amphibia, on the urinary organs and secretions of, ii. 94.
- Analysis, consideration of various points of, i. 506.
- Anderson (Capt. J.) on the tides between Fairleigh and the North Foreland, ii. 113.
- Anhydrous carbonate of copper, i. 479.
- Animal and vegetable substances, on the ultimate analysis of, ii. 179.
- Animal heat :—influence of the brain on the generation of, i. 439; experiments on, i. 515; on the influence of nerves and ganglions in producing, ii. 238; influenced by the nerves, ii. 259.
- Animal secretions, on, i. 342.
- Animal system, the action of poisons on, i. 427.
- Animals :—slow-moving, peculiarity in the distribution of the arteries of, i. 7, 132, 212; on the breeding of, i. 343; luminous, observations on, i. 379; on the formation of fat in the intestines of, i. 462; on the feet of those whose progressive motion can be carried on against gravity, ii. 38,

- 51; new classification of, founded upon the structure of the placenta, ii. 176; nature of the acid and saline matters usually existing in the stomachs of, ii. 204; on burrowing and boring marine animals, ii. 278.
- Aqueous and igneous formations, observations tending to prove the analogy between, i. 153.
- α Aquilæ, on the parallax of, ii. 101.
- Arago (M.) repetition of his experiments on the magnetism of various substances during rotation, ii. 249.
- Arbury Hill, on the latitude of, ii. 185.
- Ardea Argala*, description of the solvent glands and gizzard of, i. 449.
- Argonauta, on the, ii. 75, 76, 108.
- Arsenates:—of copper and of iron, from Cornwall, description of, i. 43; analysis of, i. 45; of lead, native, i. 331.
- Arteries, on the influence of the nerves upon the action of, i. 513.
- Asia and America, on the question whether they are contiguous, or are separated by the sea, ii. 81.
- Asia, on the geography of the north-eastern part of, ii. 81.
- Astronomical and other instruments, method of dividing, i. 323, 333, 335, 504.
- Astronomical observations, i. 494; ii. 135, 340.
- Astronomical refractions, on, ii. 200, 207.
- Astronomy, physical, i. 7, 150; ii. 409.
- Atlantic, relative height of the Atlantic and Pacific oceans, ii. 385.
- Atmosphere:—on the dispersive power of, ii. 28; on the temperature of the, ii. 73; on the finite extent of the, ii. 160; on the constitution of the, ii. 267.
- Atmospheric air and oxygen gas, changes produced in by respiration, i. 305.
- Atmospherical refraction, on, i. 16, 371, 500; ii. 200, 207, 296, 308.
- Attercliffe church, description of the sounding-board in, ii. 349.
- Attraction of a spheroid, on the expansion in a series of the, ii. 162.
- Attraction of such solids as are terminated by planes, i. 433.
- Attractions, elective, i. 325.
- Aurora Borealis:—on the height of the, ii. 342, 361; on a definite arrangement, and order of the appearance and progress of, ii. 360; on the influence of on the magnetic needle, ii. 391.
- Austin (Rev. G.) on a new condenser and air-pump, i. 460.
- B.
- Babbage (C.), essay towards the calculus of functions, ii. 29, 41; on the analogy which subsists between the calculus of functions and other branches of analysis, ii. 69; new methods of finding the sums of several classes of infinite series, ii. 115; repetition of M. Arago's experiments on the magnetism of various substances during the act of rotation, ii. 249; on a method of expressing by signs the action of machinery, ii. 273; on electrical and magnetic rotations, ii. 287, 293.
- Baily (F.) on the solar eclipse said to have been predicted by Thales, i. 400.
- Bakerian Lectures; by Dr. Young:—on the mechanism of the eye, i. 35; on the theory of light and colours, i. 63; experiments and calculations relative to physical optics, i. 131.
- by Dr. Wollaston:—on the quantity of horizontal refraction, with a method of measuring the dip at sea, i. 100; on the force of percussion, i. 213; on the elementary particles of certain crystals, i. 446; on a method of rendering platina malleable, ii. 352.
- by Sir H. Davy:—on some chemical agencies of electricity, i. 246, 278; researches on the nature of certain bodies, particularly the alkalies, phosphorus, sulphur, carbonaceous matter, and the acids hitherto undecomposed, i. 318, 347; on some new electro-chemical researches, i. 350; on the combinations of oxymuriatic gas and oxygen, i. 385; on the relations of electrical and chemical changes, ii. 281.
- by Mr. W. T. Brande:—on some new electro-chemical phenomena, i. 480; on the composition and analysis of the inflammable gaseous compounds from coal and oil, and on their heating and illuminating powers, ii. 119.
- by Capt. Kater:—on the best

- kind of steel and form for a compass needle, ii. 141.
- Bakerian Lectures**; by Capt. Sabine :—Experiments to determine the amount of dip of the magnetic needle in London, Aug. 1821, ii. 155.
- by Mr. J. F. W. Herschel :—on certain motions produced in fluid conductors when transmitting the electric current, ii. 208.
- by Mr. Faraday :—on the manufacture of glass for optical purposes, ii. 383.
- Balance of torsion** constructed with threads of glass, ii. 402.
- Barium, chloride of**, on the composition of, ii. 377.
- Bark of trees**, on the formation of, i. 258; inconvertibility of, into album, i. 290.
- Barker (T.)**, register of the barometer, thermometer, and rain, at Lyndon, for 1798, i. 5.
- Barks**, on the infusions of, i. 117.
- Barlow (P.)** on the effects produced in the rates of chronometers by the proximity of iron, ii. 152; on the anomalous magnetic action of hot iron between the white and blood-red heat, ii. 164; on the daily variation of the horizontal and dipping needles under a reduced directive power, ii. 197; on the temporary magnetic effect induced in iron bodies by rotation, ii. 241; method for determining the dispersive ratio of glass, and computing the radii of curvature for achromatic object-glasses, ii. 316; on the deflections produced in a magnetized needle by an iron shell, ii. 318, remarks by Mr. Christie, ii. 347; experiments on the construction of an achromatic telescope with a fluid concave lens, ii. 333; on the effect of temperature on the refractive index and dispersive power of expandable fluids, and on the influence of these changes in a telescope with a fluid lens, ii. 345; account of the construction of a refracting telescope of 7·8 inches aperture, ii. 356.
- Barometer** :—observations on a diurnal variation of, between the tropics, i. 185; marine, observations upon, i. 230; thermometrical, for measuring altitudes, ii. 68; measurement of Snowdon by, ii. 132; extraordinary depression of the, ii. 163; differential, Dr. Wollaston's, ii. 363.
- Barometrical measurement**, comparison of, with the trigonometrical determination of a height at Spitzbergen, ii. 217.
- Basalt**, observations on, i. 151.
- Bauer (F.)** on the fungi which constitute the colouring matter of red snow, ii. 128; microscopical observations on the *Vibrio tritici*, ii. 179.
- Bees**, on the economy of, i. 268; ii. 346.
- Bell (C.)** on the nerves, ii. 153, 171; on the motions of the eye, ii. 190, 195; on the nervous circle which connects the voluntary muscles with the brain, ii. 266; on the nerves of the face, ii. 380.
- Bell (T.)** on the structure and use of the submaxillary odoriferous gland in the genus *Crocodilus*, ii. 309.
- Benares**, meteorological journal at, during 1824, -25, and -26, ii. 340.
- Berzelius (Dr. J.)** on the alcohol of sulphur, or sulphuret of carbon, i. 465.
- Bevan (B.)** on the heights of places in the Trigonometrical Survey of Great Britain, and upon the latitude of Arbury-Hill, ii. 185; on the elasticity of ice, ii. 276; experiments on the modulus of torsion, ii. 362.
- Bicarburet of hydrogen**, a new compound, ii. 248.
- Binomial theorem**, new demonstrations of the, i. 239; ii. 52, 70.
- Birds** :—grazing, on the gizzards of, i. 370; on the small intestines of, i. 404; on the migration of, ii. 204; on the respiration of, ii. 375; more sensible than other animals to the stimulus of oxygen, ii. 375.
- Bitter-spar**, carbonate of lime, and iron-stone, on the primitive crystals of, i. 423.
- Bitumen** :—on the change of some of the proximate principles of vegetables into, i. 159; in stones, on, ii. 202.
- Blagden (Sir C.)** on vision, i. 454.
- Blindness**, case of a lady who received sight at an advanced age, ii. 289.
- Blood** :—on the circulation of the, i. 298, 314; foetal, aëration of in different animals, i. 374; chemical re-

- searches on the, i. 416; experiments to prove that the beneficial effects of many medicines are produced by the, ii. 41, 42; on the circulation of, in the class *Vermes* of Linnæus, ii. 53; on the changes it undergoes during coagulation, ii. 90, 91; on the component parts of, ii. 118; on the buffy coat of, ii. 170; existence of free carbonic acid in, doubtful, ii. 202; coagulation of, by heat in an aneurismal tumour, ii. 268.
- Boar, wild, structure and growth of the grinding teeth of, i. 52.
- Bolton (G. B.), account of the united Siamese twins, ii. 397.
- Bombay, geographical situation of, ii. 176, 177.
- Blackburn (Rev. J.), description of a sounding-board in Attercliffe church, ii. 349.
- Boric acid:—method of analysing stones containing fixed alkali by means of, i. 196; analysis of, i. 321.
- Bournon (Count de) on the arseniates of copper and of iron, from Cornwall, i. 43, Mr. Chevenix's analysis of, i. 45; on the corundum stone, i. 82; on a new species of carbonate of lime, and of oxide of iron, i. 125; on the formation of mineral substances, and on the different kinds of sulphuret of copper, i. 134, on a triple sulphuret of lead, antimony, and copper, i. 134, Mr. Hatchett's analysis of, i. 138.
- Bovey coal, on a peculiar substance found with, i. 159.
- Brain:—influence of on the generation of animal heat, i. 439; influence of on the action of the heart, i. 388; on the functions of, i. 507; microscopical observations on, ii. 137; on the internal structure of, as compared with that of fishes, insects and worms, ii. 203; on the materials of the, ii. 247; on the nervous circle which connects the voluntary muscles, ii. 266.
- Brande (W.) on guaiacum, i. 216; on the urine of the camel, i. 244; on the differences in the structure of calculi, i. 303; analysis of the fluid in the intervertebral cavity of the *Squalus maximus*, i. 330; on albumen, and other animal fluids, i. 341.
- Brande (W. T.) on the effects of magnesia in preventing an increased formation of uric acid, and on the influence of acids upon the urine, i. 363, 469; experiments to ascertain the state in which spirit exists in fermented liquors, i. 408; account of a vegetable wax, from Brazil, i. 404; chemical researches on the blood, i. 416; on the state in which alcohol exists in fermented liquors, i. 450; on some new electro-chemical phenomena, i. 480; on an astringent vegetable substance from China, ii. 58; on the composition and analysis of the inflammable gaseous compounds from coal and oil, and on their heating and illuminating powers, ii. 119.
- Brazil, vegetable wax from, i. 404.
- Brentford, organic remains found near, i. 459.
- Brewster (Sir D.) on some properties of light, i. 453; on the affections of light transmitted through crystallized bodies, i. 490; on the polarization of light by oblique transmission through all bodies, i. 492; on new properties of light exhibited in the optical phenomena of mother-of-pearl, i. 502; on the properties impressed upon light by the action of glass, i. 506; on the optical properties of heated glass and unannealed glass drops, ii. 1; on the depolarization of light, as exhibited by various bodies, ii. 4; on the effects of pressure in producing that crystallization which forms two oppositely polarized images, and exhibits the complementary colours by polarized light, ii. 7; on the laws which regulate the polarization of light by reflexion, ii. 14; on the multiplication of images, and the colours which accompany them, in some specimens of calcareous spar, ii. 25; on new properties of heat, ii. 33; on the communication of the structure of doubly-refracting crystals to glass, muriate of soda, fluor spar, &c. by mechanical compression and dilatation, ii. 39; on the structure of the crystalline lens in fishes and quadrupeds, as ascertained by its action on polarized light, ii. 50; on the laws of polari-

- zation and double refraction in crystallized bodies, ii. 92; on the laws which regulate the absorption of polarized light by doubly-refracting crystals, ii. 104; on the action of crystallized surfaces upon light, ii. 111; on the optical and physical properties of tabasheer, ii. 115; on the reflexion and decomposition of light at the separating surfaces of media of the same and of different refractive powers, ii. 366; on a new series of periodical colours produced by grooved surfaces, ii. 378; on the law of the partial polarization of light by reflexion, ii. 387; on the production of double refraction in the molecules of bodies by simple pressure, ii. 389; on the laws of the polarization of light by refraction, ii. 394; on the action of the second surfaces of transparent plates upon light, ii. 395; on the phenomena and laws of elliptic polarization, ii. 407.
- Bridges (suspension), mathematical theory of, with tables for facilitating their construction, ii. 269.
- Brinkley (Rev. J.), investigation of the general term of an important series in the inverse method of finite differences, i. 260; discovery of the parallax of the annual orbit, i. 373; on the parallax of certain fixed stars, ii. 93; results of observations for determining the obliquity of the ecliptic, and the maximum of the aberration of light, ii. 114; observations for investigating the effects of parallax and aberration on the places of certain fixed stars, ii. 151; elements of Captain Hall's comet, ii. 158; on the north polar distances of the fixed stars, ii. 205; on the parallax of α Lyrae, ii. 222; on the application of Capt. Kater's floating collimator at the Dublin Observatory, ii. 276.
- Brisbane (Sir T.), experiments with an invariable pendulum at New South Wales, ii. 196.
- British Channel, effect of westerly winds in raising the level of, i. 344.
- Brodie (B. C.), account of a dissection of a human fetus, in which the circulation of the blood was carried on without a heart, i. 327; on the influence of the brain on the action of the heart, and on the generation of animal heat, i. 388; on the modes in which death is produced by certain poisons, i. 397; on the action of poisons on the animal system, i. 427; on the influence of the brain on the generation of animal heat, i. 439; on the influence of the nerves of the eighth pair on the stomach, i. 486.
- Bromhead (E. F.), on the fluents of irrational functions, ii. 52.
- Bromine, discovery of in certain mineral waters of South Britain, ii. 402.
- Bronchial artery of the *Squalus maximus*, structure of, i. 471.
- Bronchial glands, on the colouring matter of, i. 464.
- Buds, on the reproduction of, i. 200.
- Buée (M.), *Mémoire sur les quantités imaginaires*, i. 216.
- Burnett (W.), account of the effect of mercurial vapours on the crew of H. M. ship *Triumph*, ii. 200.
- Burney (Capt. J.) on the geography of the north-eastern part of Asia, and whether Asia and America are contiguous, or are separated by the sea, ii. 81.

C.

- Calamines, analysis of, i. 102.
- Calculating engine, (Mr. Babbage's,) ii. 274.
- Calculi:—on the differences in the structure of, i. 303, 305; account of a calculus of uncommon magnitude, i. 339; cystic oxide, a new species of, i. 376; on the tendency to calculous diseases, ii. 359, 413; analysis of several belonging to the Norfolk and Norwich Hospital, ii. 359.
- Calcutta, geographical situation of, ii. 176, 177.
- Caloric, experimental researches on, ii. 97.
- Cambridge Observatory, on the transit instrument of, ii. 246, 261, 311.
- Camel, on the stomach of, i. 243; on the urine of, i. 244.
- Camera obscura, periscopic, i. 438.
- Canton, the longitude of, ii. 177.
- Caoutchouc, an excellent solvent of, ii. 249.
- Carbon, sulphuret of, cold produced by the evaporation of, i. 473.

- Carbon, perchloride of, ii. 138.
- Carbon and chlorine, a new compound of, ii. 153.
- Carbonaceous matter, on the nature of, i. 321.
- Carbonate of lime:—new species of, i. 125; on the primitive crystal of, i. 423.
- Carbonic acid, quantity of carbon in, i. 272.
- Carbonic oxide and chlorine, gaseous compound of, i. 420.
- Caribbean Sea, on the temperature of the, ii. 193.
- Carlisle (A.), account of a monstrous lamb, i. 41; on muscular motion, i. 163; on a peculiarity in the distribution of the arteries of slow-moving animals, i. 7, 132, 212; on the physiology of the stapes, i. 183; on the muscles of fishes, i. 210; account of a family having hands and feet with supernumerary fingers and toes, i. 486.
- Carne (Jos.), account of the Relistian tin mine in Cornwall, i. 275.
- Carson (Dr. J.) on the elasticity of the lungs, ii. 121.
- Cassegrainian telescope compared with the Gregorian, i. 468, 493.
- Cassowary, description of the solvent glands and gizzard of, i. 449.
- Catalogue (Herschel's) of 500 nebulae, nebulous stars, planetary nebulae, and clusters of stars, i. 98.
- Cataracts, account of two children born with, i. 254.
- Catechu, on the extracts of, i. 116.
- Cavendish (H.) on an improvement in dividing astronomical instruments, i. 333.
- Ceres and Pallas, Sir W. Herschel's observations on, i. 80.
- Chagres, river, and Isthmus of Panamá, relative height of the Pacific and Atlantic Ocean at, ii. 385.
- Chamouny, curious phenomenon observed on the glaciers of, i. 133.
- Charcoal and hydrogen, on the aëri-form compounds of, ii. 143.
- Chemical agencies of electricity, i. 247, 278.
- Chemical and electric theories of galvanism, on, ii. 382.
- Chemical and electrical changes, on the relations of, ii. 281.
- Chemical equivalents, synoptic scale of, i. 477.
- Chenevix (Rich.), analysis of the arseniates of copper and of iron, from Cornwall, i. 45; on Dr. James's powder, i. 57; on oxygenized and hyperoxygenized muriatic acid, i. 71; analysis of the corundum, and on the affinities the earths are supposed to have for each other in the humid way, i. 87; on the chemical nature of the humours of the eye, i. 108; on the nature of palladium, i. 121, 175; on the action of platina and mercury upon each other, i. 175.
- Children (J. G.), account of some experiments with a large voltaic battery, ii. 27; on some alvine concretions found in the colon of a young man after death, ii. 156; experiments for ascertaining the best method of constructing a voltaic apparatus for chemical researches, i. 317.
- Chinese female foot, anatomical description of a, ii. 373.
- Chinese galls, used in dyeing black, observations on, ii. 58.
- Chinese year, on the, ii. 187.
- Chloride of barium, on the composition of, ii. 377.
- Chlorine, water said to have been formed by its decomposition, on the fallacy of, ii. 89.
- Chlorine, fluid, on, ii. 190.
- Chlorine and carbon, new compounds of, ii. 138, 153.
- Chlorine and carbonic oxide, on a gaseous compound of, i. 420.
- Chlorine and different metals, combinations of, i. 425.
- Chloriodic acid, i. 508.
- Chloris, ii. 86.
- Chloro-chromic acid, ii. 314.
- Christie (S. H.) on the diurnal deviations of the horizontal needle, when under the influence of magnets, ii. 197, 225; on the magnetism of iron, copper, &c., arising from its rotation, ii. 243, 251, 295; on magnetic influence in the solar rays, ii. 270; on the mutual action of the particles of magnetic bodies, and the law of variation of magnetic forces during rotation, ii. 305; theory of the diurnal variation of the magnetic needle, ii. 321; on the laws of the deviation of

- magnetized needles, towards iron, ii. 347; on magnetic influence in the solar rays, ii. 351.
- Chromium, on some of the compounds of, ii. 313.
- Chronometers:—on the errors in longitude, as determined by, ii. 130; on the effects produced in the rates of by the proximity of iron, ii. 152; of the effects of the density of air on the rates of, ii. 220.
- Clanny (Dr. W. R.) on procuring a steady light in coal mines without the danger of explosion, i. 467.
- Clift (W.) on the influence of the spinal marrow on the action of the heart in fishes, ii. 10; description of some fossil bones found in caverns at Oreston, ii. 186.
- Coagulation, on the changes the blood undergoes in the act of, ii. 90.
- Coal, remarks on the natural formation of, i. 159, 223.
- Coal and oil gases, on the heating and illuminating powers of, ii. 119; experiments on, ii. 143.
- Coal gas, application of to economical purposes, i. 294.
- Coal mines, on the fire damp of, and methods of lighting to prevent its explosion, i. 467; ii. 30, 32, 35, 61.
- Cobra de Capello (or hooded snake), on the expansion of the skin of the neck of, i. 157; on the bite of, i. 355.
- Cohesion of fluids, i. 171.
- Colburn, Zerah, the American calculating boy, i. 486.
- Colchicum autumnale*, the effects of on the gout, ii. 41, 42, 71.
- Cold:—artificial, on producing, i. 40; production of cold by the evaporation of the sulphuret of carbon, i. 473; remarks on sensible cold, ii. 260.
- Collimator, floating, description of, ii. 232; application of at the Dublin Observatory, ii. 276.
- , vertical floating, description of, ii. 340.
- Colon, on some alvine concretions found in after death, ii. 156.
- Coloured rays, on the heating and illuminating powers of, i. 20, 22.
- Colouring matter of red snow, on the fungi which constitute it, ii. 128.
- Colouring matters of vegetables, on the, ii. 86.
- Colours and light, theory of, i. 63.
- Colours:—on some cases of the production of, not before described, i. 92; on some phenomena of, ii. 15; periodical, on the phenomena of, ii. 368; periodical, new class of produced by grooved surfaces, ii. 378; prismatic, power of to heat and illuminate objects, i. 20; produced at the separating surfaces of plate glass and various oils and other fluids, ii. 367.
- , complementary:—by polarized light, ii. 7; instruments for exhibiting, ii. 25; produced by successive reflexions from the polished surfaces of metals, ii. 408.
- used in painting by the ancients, on the, ii. 11.
- Columbium, a new metal, i. 67.
- Columbium and tantalum, on the identity of, i. 336.
- Comet:—new method of deducing a first approximation to the orbit of from three geocentric observations, i. 489; observations of a, i. 272, 297; seen at Valparaiso, ii. 158, elements of, ii. 158; Dr. Herschel's observations of a, i. 418, 427.
- Compass needle:—on the variation of by the attraction of the iron in ships, i. 187; ii. 108, 109, 110, 130, 141, 218, 225; on the best kind of steel and form for, ii. 141; on the permanency of its variation at Jamaica, i. 241.
- Compound lenses and object-glasses, on the aberrations of, ii. 146.
- Compressibility of water, ii. 134; by high degrees of force, ii. 289.
- Compression of the earth, observations with the invariable pendulum for determining, ii. 396.
- Condenser and air-pump, new, i. 460.
- Conic sections, of the rectification of, i. 97.
- Coombe (C.) on an elephant's tusk in which the iron head of a spear was found, i. 43.
- Cooper (A.) on the effects which take place from the destruction of the membrana tympani of the ear, i. 10, 62; remedy for a particular species of deafness, i. 62.
- Cooper (B. B.), anatomical description of the foot of a Chinese female, ii. 373.

- Copper:—arsenate of, from Cornwall, i. 43; analysis of, i. 45; on the different kinds of sulphuret of, i. 137; on the changes in some ancient alloys of, ii. 258; on the magnetism of, during rotation, ii. 251.
- Copper-ore, new species of, i. 479; red octaedral, of Cornwall, analysis of, i. 46.
- Copper-sheeting, on the corrosion of by sea-water, and methods of preventing, ii. 207, 213, 242, 284.
- Corn tainted with must, process of purifying, ii. 57.
- Cornwall:—on the arseniates of copper and of iron from, i. 43, 45; account of the Relistian tin mine in, i. 275; progressive improvements made in the steam-engines in, ii. 393; electro-magnetic properties of metalliferous veins in the mines of, ii. 412.
- Corpora lutea, on, ii. 106.
- Correction for variations of temperature in the invariable pendulum, ii. 404.
- Corrosive sublimate, on, ii. 173.
- Corundum stone, description of the, i. 82; analysis of, i. 87.
- Cote's theorem, a remarkable application of, i. 442.
- Crocodilus*, the genus, on the structure and use of the submaxillary odoriferous gland in, ii. 309.
- Cretinism, account of, i. 292.
- Croonian Lectures; by E. Home:—on the membrana tympani of the ear, i. 1; on the irritability of nerves, i. 33; on the power of the eye to adjust itself to different distances, when deprived of the crystalline lens, i. 62; on the changes the blood undergoes in the act of coagulation, ii. 90, 91; on the component parts of the blood, ii. 118; on the conversion of pus into new flesh, ii. 103; microscopical observations,—on the brain and nerves, on the discovery of valves in the branches of the vas breve, and on the structure of the spleen, ii. 137; on the anatomical structure of the eye, ii. 159; on the internal structure of the human brain, ii. 203; on the existence of nerves in the placenta, ii. 226; on the mode of propagation of the oyster and the freshwater muscle, ii. 301.
- ; by Mr. A. Carlisle:—on muscular motion, i. 163; on the arrangement and mechanical action of the muscles of fishes, i. 210.
- Croonian Lecture; by Dr. Young:—on the functions of the heart and arteries, i. 314.
- ; by Dr. Wollaston:—on the duration of muscular action, origin of sea-sickness, and advantages derived from riding, i. 348.
- ; by Mr. B. C. Brodie:—on the influence of the brain on the action of the heart, and on the generation of animal heat, i. 388.
- ; by Mr. F. Bauer:—microscopical observations on the *Vibrio tritici*, ii. 179.
- Cryophorus, Dr. Wollaston's description of, i. 448.
- Crystallization, which forms two oppositely polarized images, and exhibits the complementary colours by polarized light, on the effects of pressure in producing, ii. 7.
- Crystallized bodies:—on the affections of light transmitted through, i. 490; on the laws of polarization and double refraction in, ii. 92; action of crystallized surfaces on light, ii. 111; on the action of on light, ii. 122.
- Crystallography, a difficulty in, explained, i. 446.
- Crystals:—Iceland, oblique refraction of, i. 92; on the elementary particles of, i. 446; doubly-refracting, on the communication of the structure of to glass, &c. ii. 39; on the laws which regulate the absorption of polarized light by, ii. 104; on the æriform and liquid matter contained in, ii. 174; general method of calculating the angles made by any planes of, ii. 227.
- Cuprane and Cupraneæ, i. 425.
- Cystic oxide, i. 376.

D.

- Dalton (J.) on the constitution of the atmosphere, ii. 267; on the height of the aurora borealis, ii. 342; objections to Mr. Dalton's estimate, ii. 361.
- Daniell (J. F.) on a new register-pyrometer, ii. 404.
- Daubeny (Dr. C.) on the occurrence of

- iodine and bromine in the mineral waters of South Britain, ii. 402.
- Davis (J. F.) on the Chinese year, ii. 187.
- Davy (E.) on a new fulminating platinum, ii. 63; on combinations of platinum, ii. 124.
- Davy (Sir H.) on galvanic combinations by single metallic plates and fluids, i. 59; on astringent vegetables, and their operation in tanning, i. 114; experiments on a mineral production (Wavellite) from Devonshire, i. 181; method of analysing stones containing fixed alkali, by boracic acid, i. 196; on some chemical agencies of electricity, i. 247, 278; on the decomposition of the earths, i. 313; on the nature of the alkalies, phosphorus, sulphur, carbonaceous matter, and the undecompounded acids, i. 318, 347; on Dr. Henry's experiments on ammonia, i. 346; electro-chemical researches, i. 350; on the nature and combinations of oxymuriatic acid, the elements of muriatic acid, and experiments on sulphur and phosphorus, i. 377; on the combinations of oxymuriatic gas and oxygen, i. 385, 393; on some combinations of phosphorus and sulphur, i. 440; on a new detonating compound, i. 441; experiments on the substances produced in chemical processes on fluor spar, i. 475; experiments on the fluoric compounds, i. 481; on a new substance which becomes a violet-coloured gas by heat, i. 483; on iodine, i. 507; on the colours used in painting by the ancients, ii. 11; experiments on a solid compound of iodine and oxygen, ii. 19; on the action of acids on hyperoxymuriates, ii. 20; on the fire-damp of coal mines, and methods to prevent its explosion, ii. 30, 32, 61; invention for giving light in explosive mixtures of fire-damp by consuming the fire-damp, ii. 32, 35; on flame, ii. 59; experiment on the combustion of gaseous mixtures, and method of preserving a light in mixtures of inflammable gases and air without flame, ii. 61; fallacy of the experiments in which water is said to have been formed by the decomposition of chlorine, ii. 89; on the combinations of phosphorus, ii. 95; on the formation of mists, ii. 110; on the magnetic phenomena produced by electricity, ii. 136, 154; on the papyri found in the ruins of Herculaneum, ii. 145; on the electrical phenomena exhibited in vacuo, ii. 159; on the water and aëriiform matter found in certain crystals, ii. 174; on a new phenomenon of electro-magnetism, ii. 189; on the application of liquids formed by the condensation of gases as mechanical agents, ii. 193; on the corrosion of copper-sheeting by sea-water, ii. 207, 213, 242; on the relations of electrical and chemical changes, ii. 281; on the phenomena of volcanoes, ii. 338; experiments on the torpedo, ii. 354.
- Davy (Dr. John) on a gaseous compound of carbonic oxide and chlorine, i. 420; experiments on the combinations of different metals and chlorine, &c. i. 425; experiments on different combinations of fluoric acid, i. 437; experiments on animal heat, i. 515; on the temperature of the ocean and atmosphere, and on the density of sea-water, ii. 73; on the urinary organs and secretions of some of the amphibia, ii. 94; on the urinary organs and urine of two species of the *Rana*, ii. 140; on the buffy coat of the blood, ii. 170; on corrosive sublimate, ii. 173; observations on air found in the pleura, ii. 202, 215; on the changes which have taken place in some ancient alloys of copper, ii. 258; on the poison of the common toad, ii. 262.
- Dead Sea, analysis of the water of, i. 275.
- Deafness, remedy for a particular species of, i. 62.
- Declination of some of the fixed stars, on the changes in, ii. 182, 183, 203.
- Delambre's solar tables, corrections in the elements of, required by the observations made at the Greenwich Observatory, ii. 328.
- Delphinus Gangeticus*, description of the teeth of, ii. 99.
- Density of sea-water, ii. 73, 111; of the earth, ii. 107, 148.

- Denudation, account of the Derbyshire, i. 402.
- Depolarization of light, on, i. 506; ii. 4, 7, 33, 39, 50, 92.
- Derbyshire denudation, account of, i. 402.
- Detonating compound, new, i. 441, 472.
- Diabetes mellitus, non-existence of sugar in the blood of persons labouring under, i. 391.
- Diamond, on the nature of the, i. 272; on the cutting diamond, ii. 43.
- Digestion, on the function of, ii. 364.
- Digestive organs of animals, i. 243, 256, 261, 283, 295, 370, 439, 449, 452, 462.
- Dillwyn (L. W.) on fossil shells, ii. 198, 221.
- Distillation, double, means of producing by the same heat, i. 513.
- Dollond (G.), account of a micrometer made of rock crystal, ii. 141; account of the transit instrument made for the Cambridge Observatory by, ii. 246.
- Donovan (M.) on a new vegetable acid, with observations on malic acid, ii. 22.
- Drummond (Lieut. T.) on the means of facilitating the observation of distant stations in geodætical operations, ii. 277; on the illumination of light-houses, ii. 411.
- Dugong, account of the, ii. 126, 129, 134, 147; on the peculiarities that distinguish it from the manatee, ii. 152.
- Dulong (M.), remarks on the hypophosphorous acid of, ii. 96; correction of the formula representing the velocity of sound, derived from his experiments on the specific heat of gases, ii. 401.
- Dunlop (J.), catalogue of nebulae and clusters of stars in the southern hemisphere, ii. 334.
- Dupin (M. C.) de la structure des vaisseaux Anglais, ii. 62.
- Dutch frigate, the Ambuscade, account of the sinking and mode of raising, i. 124.
- E.
- Ear:—on the membrana tympani of, i. 1; on the effects which take place from the destruction of the membrana tympani of, i. 10, 62; the physiology of the stapes, i. 188; on the ear of the dugong, ii. 126; on sounds inaudible by certain ears, ii. 133; difference between the human membrana tympani and that of the elephant, ii. 181.
- Ear-cockle (or purples,) in wheat, on the *Vibrio tritici*, the cause of that disease, ii. 179.
- Earle (Sir J.), account of a calculus of uncommon magnitude, i. 339.
- Earle (H.) on the re-establishment of a canal in the place of a portion of the urethra which had been destroyed, ii. 149; on the mechanism of the spine, ii. 170.
- Earth:—ellipticity of the, ii. 165, 194; figure of the, i. 413, 435; ii. 118, 140, 290; observations with the invariable pendulum for determining the compression of, ii. 396; on the density of, ii. 107, 148; on the existence of a limit to the atmosphere of, ii. 160.
- Earths:—on the affinities they have been supposed to have for each other in the humid way, i. 88; on the decomposition of, i. 313, 353; ii. 338.
- Earth-worm, on the organs of generation of, ii. 189.
- Eau medicinale of Husson, a vinous infusion of the *Colchicum autumnale*, ii. 41.
- Ecliptic, observations for determining the obliquity of the, ii. 114.
- Eel, on the double organs of generation of, ii. 188.
- Egg, on the changes it undergoes during incubation, ii. 172, 175; sex not given at a very early period of their growth, ii. 347.
- Egyptian ibis, mummies of the, i. 201.
- Egyptian mummies, on, ii. 240.
- Elastic fluids, vibrations of, i. 9.
- Elasticity:—of ice, ii. 276; of the lungs, ii. 121; of threads of glass applied to torsion balances, ii. 402.
- Electricity:—produced by the mere contact of different conducting bodies, i. 27; capable of suspending the functions of nerves, i. 34; chemical production and agency of, i. 61; chemical agencies of, i. 246, 278; decomposition of the fixed alkalies by, i. 278; on the magnetic

- phenomena produced by, ii. 136, 154; on the powers of metallic substances as conductors of, ii. 298; electric organs of the torpedo, ii. 37, 57, 354; electrical phenomena exhibited in vacuo, ii. 159; on the application of electrical combinations to the preservation of the copper sheathing of ships, ii. 207, 213, 242, 284; experiments on electric conduction, ii. 350. electric and chemical theories of galvanism, ii. 382; on the relations of electrical and chemical changes, ii. 281; on electrical and magnetic rotations, ii. 287; electro-chemical researches, i. 313, 350; on some new electro-chemical phenomena, i. 480; brief statement of the origin and progress of electro-chemical science, ii. 281.
- Electro-magnetism:—new phenomenon of, ii. 189; peculiar apparatus for performing experiments in, ii. 192; electro-magnetic properties of metaliferous veins in the mines of Cornwall, ii. 412.
- Elephant, on the organ of hearing in the, i. 1; elephant's tusk, in which the iron head of a spear was found, i. 43.
- Elk, fossil, of Ireland, ii. 246.
- Ellipsoids, homogeneous, on the attractions of, i. 341.
- Elliptic polarization, on the phenomena and laws of, ii. 407.
- Ellipticity of the earth, ii. 168, 194.
- Elm-tree, on a substance called Ulmin from, i. 447.
- Embalming, on the art of, i. 201; ii. 240.
- Emery, composition of, i. 94.
- Emu, description of the solvent glands and gizzard of, i. 449.
- Equations:—methods of clearing of quadratic and higher surds, i. 478; numerical, new method of solving, ii. 117.
- Equilibrium of a revolving fluid, theory of, ii. 206.
- Equinoxes, on the precession of the, i. 253.
- Ether, on the process by which it is formed, ii. 350.
- Eudiometer, new, i. 270.
- Euler's formula for the rolling pendulum, remarks on, ii. 106.
- Evelyn (Sir G. S.), account of the measurement of the cube, cylinder, and sphere, used by, ii. 150.
- Expansible fluids, on the effect of temperature on the refractive index and dispersive power of, ii. 345.
- Expectorated matter, on, i. 339.
- Eye:—mechanism of the, i. 35; case of the recovery of the sight after having been deprived of it by cataracts, i. 58; on its power to adjust itself to different distances, when deprived of the crystalline lens, i. 62; chemical nature of the humours of the, i. 108; account of two children born with cataracts, i. 254; experiments on vision, i. 411; observations on short sightedness, i. 444, 454; account of a membrane now first described, ii. 116; its anatomical structure, ii. 159; on the motions of, ii. 190, 195; on semi-decussation of the optic nerves, ii. 211; case of a lady who received sight at an advanced age, ii. 289.
- Eyes, on the apparent direction of, in a portrait, ii. 214.

F.

- Face, on the nerves of the, ii. 266, 380.
- Fairy-rings, on, i. 260.
- Fallows (Rev. F.) on a curious appearance observed upon the moon, ii. 167; catalogue of nearly all the fixed stars between the zenith of Cape Town and the South Pole, ii. 222; observations with the invariable pendulum, at the Cape of Good Hope, for determining the compression of the earth, ii. 396.
- Falmouth and Madeira, observations made with chronometers for ascertaining the longitude of, ii. 219.
- Faraday (M.) on two new compounds of chlorine and carbon, and on a new compound of iodine, carbon, and hydrogen, ii. 138; on a new compound of chlorine and carbon, ii. 153; on the alloys of steel, ii. 169; on fluid chlorine, ii. 190; on the condensation of several gases into liquids, ii. 192; on new compounds of carbon and hydrogen, ii. 248; on the mutual action of sulphuric acid and naphthaline, and on a new acid produced, ii. 265; on the existence of a limit to vaporization, ii. 286; on the manu-

- fracture of glass for optical purposes, ii. 383.
- Farey (J.) account of the great Derbyshire denudation, i. 402.
- Farquharson (Rev. J.) on a definite arrangement and order of the appearance and progress of the Aurora borealis, and its height above the earth, ii. 360; on the influence of the Aurora borealis on the magnetic needle, ii. 391.
- Fat, on the formation of in the intestines of animals, i. 462.
- Ferrane and Ferranea, i. 426.
- Ferruretted chyzic acid, ii. 21.
- Fibre, muscular, examination of a, ii. 259.
- Figure of the earth, i. 413, 435; ii. 118, 140, 290.
- Figure of the planet Saturn, i. 203, 246, 298.
- Figure of the planets, i. 341.
- Finite extent of the atmosphere, on the, ii. 160.
- Fire-damp of coal mines, on, ii. 30, 32, 35, 62.
- Fish:—on the muscles of, i. 210; on the intervertebral substance in, i. 329; serpentiform, on a newly discovered genus of, ii. 302; sex not given to the spawn of at an early period of its growth, ii. 347.
- Fisher (G.) on the errors in longitude arising from the action of the iron in ships, ii. 130.
- Flame, researches on, ii. 59.
- Flies, on the feet of, ii. 38, 52.
- Flinders (M.) on the differences in the magnetic needle, arising from an alteration in the direction of the ship's head, i. 187; observations upon the marine barometer, i. 230.
- Fluid conductors, on certain motions produced in, when transmitting the electric current, ii. 208.
- Fluids:—on the resistance of, to bodies passing through them, 327; on the propagation of heat in, i. 133; on the cohesion of, i. 171; experiments to prove that they pass from the stomach to the circulation of the blood without going through the thoracic duct, i. 394; expandible, on the effect of temperature on the refractive index and dispersive power of, ii. 345.
- Fluoboric acid gas, i. 437.
- Fluor spar, experiments on the substances produced in chemical processes on, i. 475.
- Fluoric acid, analysis of, i. 321; on different combinations of, i. 437.
- Fluoric compounds, experiments on, i. 481.
- Fluoric gas, i. 437.
- Fœtus, human:—in which the circulation of the blood was carried on without a heart, i. 327; extraordinary, i. 36; found in the ovarium, ii. 123; on the functions of the intestinal canal and liver of, ii. 361.
- Foot of a Chinese female, anatomical description of, ii. 373.
- Fossils:—bones found in caverns, ii. 66, 142, 165, 186; fossil elk of Ireland, ii. 246; human skeleton from Guadaloupe, i. 487; remains of an animal from the cliff between Lyne and Charmouth, i. 512; ii. 51, 82; shells, ii. 198, 221; skeleton of the proteo-saurus, ii. 113, 128; the iguanodon, &c., ii. 234.
- Foster (Lieut. H.), account of experiments made with an invariable pendulum at Greenwich, at Port Bowen, and on the eastern side of Prince Regent's Inlet, ii. 290; on the diurnal variation of the magnetic needle at the whale fish islands, ii. 293; on the diurnal changes in position of horizontal needle at Port Bowen, ii. 293; on the daily changes of intensity in the dipping and horizontal needles at Port Bowen, ii. 293; repetition of Mr. Christie's experiments on the magnetic properties imparted to iron by rotation at Port Bowen, ii. 293; observations to determine the amount of atmospherical refractions at Port Bowen, ii. 296; corrections to the reductions of his observations on atmospherical refractions at Port Bowen, ii. 308; on the diurnal changes of magnetic intensity in the dipping and horizontal needles at Spitsbergen, ii. 344.
- Fox (R. W.) on the electro-magnetic properties of metalliferous veins in the mines of Cornwall, ii. 412.
- Freezing at a distance, method of, i. 448; freezing of mercury, i. 474.
- Friction and abrasion of the surfaces of solids, experiments on, ii. 364.

Frog:—on the spawn of the, ii. 49; on the changes its ovum undergoes during the formation of the tadpole, ii. 227.

Functions:—exponential, ii. 33; an essay towards the calculus of, ii. 29, 41; on the analogy which subsists between the calculus of, and other branches of analysis, ii. 69; irrational, on the fluents of, ii. 52; circulating, ii. 89; on assigning specific names to all such functions of simple elements as represent physical properties, ii. 299.

Fungi, which constitute the colouring matter of red snow, on the, ii. 128.

G.

Gallois (M. le), remarks on his conclusion that the action of the heart is dependent on the spinal marrow, ii. 8, 10.

Galls:—on the infusions of, i. 115; Chinese, used in dyeing black, observations on, ii. 58.

Galvanism:—galvanic combinations, by single metallic plates and fluids, i. 59; on the effects of galvanism in restoring the due action of the lungs, ii. 55; examination of the electric and chemical theories of, ii. 382.

Garrard (W.) on a new property of the tangents of the three angles of a plane triangle, i. 293.

Gas, coal, on the application of to economical purposes, i. 294; experiments on, i. 310; oil and coal, experiments on, ii. 143.

Gaseous compounds, inflammable, from coal and oil, composition and analysis of, ii. 119.

Gaseous mixtures:—on the action of finely divided platinum on, ii. 216; on the combustion of, ii. 61.

Gases:—on the quantity of gases absorbed by water, i. 103; condensation of several into liquids, ii. 192; inflammable, apparatus for the analysis of, i. 309.

Genoa, on the manufacture of sulphate of magnesia at, ii. 48.

Geometry, ancient, and modern analysis, comparison of, i. 70.

Georgian planet, observations of the satellites of the, ii. 25.

Gibson (B.), description of an extraordinary human foetus, i. 360.

Gilbert (D.) on the mathematical theory of suspension bridges, ii. 269; on assigning specific names to all such functions of simple elements as represent physical properties, and suggestion of a new term in mechanics, ii. 299; on the progressive improvements in the efficiency of steam engines in Cornwall; with investigations of the methods best adapted for imparting angular velocities, ii. 393.

Giles (D.) on a singular fact in natural history, ii. 137.

Gilpin (G.) on the variation and the dip of the magnetic needle, made at the Royal Society between the years 1786 and 1805, i. 244.

Gizzards of grazing birds, on the, i. 370.

Glaciers of Chamouny, curious phenomena observed on the, i. 133.

Glands:—black bronchial, on the colouring matter of the, i. 464; gastric, coagulating power of the secretion of, i. 452; of the Java swallow, on the, ii. 77; of the human stomach, observations on, ii. 79; prostate, account of a small lobe of, i. 224; solvent, different structures and situations of in birds, i. 439; submaxillary odoriferous, on the structure and use of in the genus *Crocodylus*, ii. 309.

Glass:—heated, and glass drops, optical properties of, i. 506; ii. 1, 33; on new properties of heat, as exhibited in its propagation along plates of glass, ii. 33; on some phenomena of colours exhibited by thin plates, ii. 15; on the communication of the structure of doubly-refracting crystals to, ii. 39; on the manufacture of for optical purposes, ii. 383; on the elasticity of threads of, with some of the most useful applications of this property to torsion balances, ii. 402.

Glossopora, the genus, ii. 78.

Gold, on the various alloys, the specific gravity, and the wear of, i. 105.

Goldingham (J.) on the eclipses of the satellites of Jupiter, i. 312; observations for ascertaining the length of the pendulum at Madras, ii. 165; the geographical situation of Cal-

- cutta, Madras, and Bombay, ii. 176, 177; on the difference of longitudes found by chronometer, and by corresponding eclipses of the satellites of Jupiter, ii. 177; on the velocity of sound, ii. 188.
- Gompertz (B.), analysis and notation applicable to the estimation of the value of life contingencies, ii. 132; application of a method of differences to the species of series whose sums are obtained by the help of impossible quantities, i. 224; on the function expressive of the law of human mortality, and new mode of determining the value of life contingencies, ii. 252.
- Goniometer, reflective, i. 337.
- Gott, on the effects of Colchicum autumnale on, ii. 41, 42, 71.
- Granville (Dr. A. B.) on Egyptian mummies, and on the art of embalming, ii. 240; on a mal-conformation of the uterine system in women, ii. 95; case of the human foetus found in the ovarium, ii. 123.
- Graves (J. T.), an attempt to rectify the inaccuracy of some logarithmic formulæ, ii. 365.
- Gravity, on the feet of those animals whose progressive motion can be carried on in opposition to, ii. 38, 51.
- Greatorex (Thomas) on the heights of mountains in the North of England, ii. 97.
- Greenwich Observatory:—corrections in the elements of Delambre's solar tables, required by the observations made at, ii. 328; on the derangement in the mural circle at, ii. 160.
- and Altona Observatories, difference in the number of vibrations made by an invariable pendulum at these two places, ii. 403.
- and Dublin Observatories, on the instruments at, ii. 222.
- and Paris Observatories:—on the difference of meridians of, ii. 261, 319; trigonometrical operations for determining the difference of longitude between, ii. 335.
- Gregor (Rev. W.) on a mineral substance formerly supposed to be zeolite, with remarks on two species of Uran-glimmer, i. 209; on a native arseniate of lead, i. 331.
- Gregorian telescope compared with the Cassegrainian, i. 468, 493.
- Greville (Right Hon. Chas.), account of some stones said to have fallen in France, and of a lump of native iron said to have fallen in India, i. 109.
- Griffiths (J.), description of a rare species of worm-shells, i. 233.
- Groombridge (S.) on atmospherical refraction, as it affects astronomical observations, i. 371, 500; astronomical observations, ii. 135.
- Gryllotalpa*, description of the organs of respiration of, ii. 237.
- Guaiacum, experiments on, ii. 216.
- Guyton de Morveau (M.), observations on his proposal for a pyrometer, ii. 404.

H.

- Hall (Capt. B.), observations of a comet seen at Valparaiso, ii. 158; experiments with an invariable pendulum, ii. 193.
- Harding (Mr.), nature and magnitude of the star (Juno) discovered by, i. 170.
- Harris (W. S.) on the powers of metallic substances as conductors of electricity, ii. 298.
- Harvey (G.), experiments relative to the distribution and changes of the magnetic intensity in ships of war, ii. 218; of the effects of the density of air on the rates of chronometers, ii. 220.
- Harwood (I.) on a newly-discovered genus of serpentine fishes, ii. 302.
- Hatchett (C.), experiments on zoophytes, and on the component parts of membrane, i. 25; analysis of a mineral substance from North America containing a metal hitherto unknown, i. 67; on the various alloys, on the specific gravity, and on the wear, of gold, i. 105; analysis of a triple sulphuret of lead, antimony, and copper, i. 138; experiments and observations on lac, i. 148; analysis of the magnetical pyrites, with remarks on other sulphurets of iron, i. 155; on the change of some of the proximate principles of vegetables into bitumen, and on a substance which is found with the Bovey coal, i. 159; remarks on coal, i. 159, 223; on an artificial substance possessing the properties of tannin,

- i. 190, 205, 220; process by which corn tainted with must may be purified, ii. 57.
- Hawkins (John), account of the discovery of silver in Herland copper-mine, i. 42.
- Hearing:—on the structure and uses of the membrana tympani of the ear, i. 1; on the effects which take place from the destruction of the membrana tympani, i. 10, 62; operation for the removal of a particular species of deafness, i. 62; the physiology of the stapes, i. 188; peculiarities in the structure of the organ of hearing of the *Balæna Mysticetus*, i. 415; on sounds inaudible by certain ears, ii. 133; on the difference between the human membrana tympani of the ear and that of the elephant, ii. 181.
- Heat:—on the solar and terrestrial rays that occasion it, i. 23, 30, 94; some remarks on, i. 94; causes or symptoms of the variable emission of heat and light from the sun, i. 49, 55; on the propagation of in fluids, i. 133; on the nature of, i. 139; on new properties of, ii. 33; account of the heat of July 1825, ii. 260.
- , animal:—experiments on, i. 515; influence of the brain on the generation of, i. 388, 439; on the influence of nerves and ganglions in producing, ii. 238, 259.
- , radiant:—different refrangibility of, i. 21; refrangibility of the invisible rays of the sun, i. 22; inquiry into the nature of, from terrestrial sources, ii. 235; on the permeability of transparent screens of extreme tenuity by, ii. 310; on the passage of through glass screens, ii. 280.
- Heart:—on the functions of the heart and arteries, i. 314; influence of the brain on the action of the, i. 388; of an infant, malformation in, i. 195; on the influence of the spinal marrow on the action of, ii. 8, 10; on the principle on which its action depends, and the relation which subsists between it and the nervous system, ii. 8, 29.
- Heart wood of trees, on the office of, ii. 88.
- Heavens, observations relating to the construction of the, i. 406.
- Heberden (Dr. W.), account of the heat of July 1825, with remarks on sensible cold, ii. 260.
- Hellins (Rev. J.), improved solution of a problem in physical astronomy, i. 7, 393; of the rectification of the conic sections, i. 97; on the rectification of the hyperbola, i. 393.
- Hemisphere, of the penetration of a, by any number of equal and similar cylinders, i. 434.
- Henderson (T.) on the difference of meridians of the Observatories of Greenwich and Paris, ii. 319.
- Hen-pheasants, on the change in the plumage of, ii. 317.
- Hennell (H.) on the mutual action of sulphuric acid and alcohol, and the resulting compound, ii. 271; on the mutual action of sulphuric acid and alcohol, and the process by which ether is formed, ii. 350.
- Henry (Dr. W.) on decomposing muriatic acid, i. 14; on the quantity of gases absorbed by water, i. 103; apparatus for the analysis of the compound inflammable gases, i. 309; on coal gas, i. 310; experiments on ammonia, i. 345; analysis of British and foreign salt, i. 356; experiments on the muriatic and oxy-muriatic acids, i. 431; on the aëri-form compounds of charcoal and hydrogen, and experiments on the gases from oil and coal, ii. 143; on the action of finely-divided platinum on gaseous mixtures, ii. 216.
- Herculaneum, experiments on the papyri found in the ruins of, ii. 145.
- Herland copper-mine, discovery of silver in, i. 42.
- Herschel (Dr. W.) on the power of penetrating into space by telescopes, i. 5; on the powers of the prismatic colours to heat and illuminate objects, i. 20; the different refrangibility of radiant heat, i. 20, 22; method of viewing the sun with telescopes of large apertures, i. 20; on the refrangibility of the invisible rays of the sun, i. 22; investigation of the nature of the sun to find the causes or symptoms of its variable

emission of light and heat, i. 49, 55 ; observations on Ceres and Pallas, i. 89 ; on the solar and terrestrial rays that occasion heat, with a view of the laws to which light and heat are subject, i. 23, 30 ; M. Prevost's remarks on, i. 94 ; catalogue of 500 nebulae, nebulous stars, planetary nebulae, and clusters of stars, i. 98 ; observations of the transit of mercury over the disc of the sun, i. 112 ; the causes which prevent the proper action of mirrors, i. 112 ; on the changes in the relative situation of double stars, i. 126, 158 ; experiments to determine very small angles, and the real from the spurious diameters of celestial and terrestrial objects ; with an investigation of the nature and magnitude of the star (Juno) discovered by Mr. Harding, i. 166 ; on the direction of the motion of the sun and solar system, i. 197 ; on the singular figure of the planet Saturn, i. 203 ; on the quantity and velocity of the solar motion, i. 226 ; on the figure, the climate, and the atmosphere of Saturn and its ring, i. 246 ; on the cause of the coloured concentric rings discovered by Sir Isaac Newton, i. 264, 338, 365 ; observations on the planet Vesta, i. 271 ; observations of a comet, i. 272, 297 ; observations relating to the construction of the heavens, i. 406 ; observations of a comet, with remarks on its construction, i. 418 ; observations of a second comet, with remarks on its construction, i. 427 ; observations relating to the sidereal part of the heavens, and its connexion with the nebulous part, i. 494 ; observations of the satellites of the Georgian planet, ii. 25.

Herschel (Sir J. F. W.) on a remarkable application of Cote's theorem, i. 442 ; consideration of various points of analysis, i. 506 ; on the development of exponential functions, ii. 33 ; experiments tending to investigate the local arrangement of the celestial bodies in space, and to determine the extent and condition of the Milky Way, ii. 76 ; on circulating functions, ii. 89 ; on the relative distances of clusters of stars, and how far the power of telescopes may be expected

to reach into space, ii. 100 ; on the action of crystallized bodies on homogeneous light, and on the deviation from Newton's scale in the tints which many of them develop on exposure to a polarized ray, ii. 122 ; on the aberrations of compound lenses and object-glasses, ii. 146 ; on the separation of iron from other metals, ii. 148 ; repetition of M. Arago's experiments on the magnetism of various substances during rotation, ii. 249 ; observations made for the purpose of determining the difference of meridians of the observatories of Greenwich and Paris, ii. 261 ; on the parallax of the fixed stars, ii. 274, 308 ; observations of the apparent distances and positions of 380 double and triple stars, ii. 224.

Hey (Dr. R.) propositions containing some properties of tangents to circles ; of trapeziums inscribed in circles : and on the elliptic representations of circles, upon a plane surface, by perspective, i. 502.

Hirudo vulgaris, on the, ii. 54.

Hirudo complanata and *H. stagnalis*, formed into a distinct genus, ii. 78.

Holland (Dr. H.) on the manufacture of the sulphate of magnesia at Monte della Guardia, ii. 48.

Home (E.) on the membrana tympani of the ear, i. 1, 11 ; on the head of the *Ornithorhynchus paradoxus*, i. 29 ; on the irritability of nerves, i. 33 ; on the structure of the orifices situated between the nostril and eye, and description of a bag connected with the eye, of poisonous snakes, i. 138 ; on the structure and growth of the grinding teeth of the wild boar, i. 52 ; on the anatomy of the *Ornithorhynchus paradoxus*, i. 68 ; on the anatomy of the *Ornithorhynchus Hystrix*, i. 89 ; on the structure of the tongue, i. 111 ; on the structure of the neck of the *Cobra de capello*, i. 157 ; account of a small lobe of the human prostate gland, not before noticed, i. 224 ; on the shell of the sea-worm, i. 234 ; on the camel's stomach, respecting the water it contains, and some peculiarities in the urine, i. 243 ; ac-

count of two children born with cataracts in their eyes, i. 254; on the structure of the stomach of the whale, i. 256; on the structure of the stomachs of animals, i. 261; on the structure and uses of the spleen, i. 283, 295; on Mr. Brande's observations on calculi, i. 305; on the structure of the wombat, i. 310; on the intervertebral substance in fish and quadrupeds, i. 329; anatomical account of the *Squalus maximus*, i. 332; on animal secretions, i. 342; on the bite of the rattlesnake, i. 354; on the gizzards of grazing birds, i. 370; on the mode of breeding of the ovo-viviparous shark, and on the aëration of the foetal blood in animals, i. 374; experiments to prove that fluids pass directly from the stomach to the circulation of the blood, &c., without going through the thoracic duct, i. 394; on the structure of the organ of hearing in the *Balaena Mysticetus*, i. 415; on the progressive motion of snakes, i. 424; on the different structures and situations of the solvent glands in birds, i. 439; description of the solvent glands and gizzards of the *Ardea Argala*, the *Casuarius* Emu, and the cassowary, i. 449; on the coagulating power of the secretion of the gastric glands, i. 452; on the tusks of the narwhale, i. 458; on the formation of fat in the intestines of animals, i. 462; anatomy of the *Squalus maximus*, i. 471; on the functions of the brain, i. 507; on the fossil remains of an animal from the cliff between Lyme and Char-mouth, i. 512. ii. 51, 82; on the influence of the nerves upon the action of the arteries, i. 513; on the organs of respiration of the lamprey, myxine, the *Aphrodita aculeata*, and the leech, ii. 23; on the mode of generation of the lamprey and myxine, ii. 24; on the feet of those animals whose progressive motion can be carried on against gravity, ii. 38; experiments to prove that the beneficial effects of many medicines are produced by the circulating blood, more particularly that of the *Colchicum autumnale*,

upon the gout, ii. 41, 42, 71; on the formation of fat in the intestine of the tadpole, and on the use of the yolk in the formation of the embryo in the egg, ii. 49; on the circulation of the blood in the class *Vermes* of Linnæus, ii. 53; account of some fossil remains of the rhinoceros found in a cavern of the solid limestone rock, ii. 66, 142; on the passage of the ovum from the ovarium to the uterus in women, ii. 70; distinguishing characters between the ova of the *Sepia* and those of the *Vermes testacea*, ii. 75; on the glands of the Java swallow that secrete the mucus of which their nests are composed, ii. 77; on the gastric glands of the human stomach, and the contraction which takes place in that viscus, ii. 79; on the changes the blood undergoes in the act of coagulation, ii. 90, 91; description of the teeth of the *Delphinus Gangeticus*, ii. 90, 91; on the conversion of pus into new flesh, ii. 103; on *corpora lutea*, ii. 106; account of the fossil skeleton of the *proteo-saurus*, ii. 113, 128; on the ova of the tribes of opossum and *ornithorhynchus*, ii. 114; on the component parts of the blood, ii. 118; on the milk tusks and ear of the dugong, ii. 126; on the human urethra, ii. 130; new mode of performing the high operation for the stone, ii. 131; anatomy of the dugong, ii. 134; microscopical observations,—on the brain and nerves, on the discovery of valves in the branches of the *vas breve*, and on the structure of the spleen, ii. 137; on the black rete mucosum of the negro being a defence against the scorching effect of the sun's rays, ii. 135; account of the skeletons of the dugong, two-horned rhinoceros, and tapir of Sumatra, ii. 147; on a new species of rhinoceros found in Africa, ii. 157; on the anatomical structure of the eye, ii. 159; on the manatee of the West Indies, and the dugong of the East Indian seas, ii. 152; on the difference of the teeth, and the shape of the skull in different species of seals, ii. 168; on the changes the

- egg undergoes during incubation in the common fowl, ii. 172; on the placenta, ii. 176; new classification of animals, founded upon the structure of the placenta, ii. 176; on the difference of structure between the human membrana tympani and that of the elephant, ii. 181; on the double organs of generation of the lamprey, conger eel, common eel, barnacle, and earth-worm, ii. 188; on the internal structure of the human brain, ii. 203; some curious facts respecting the walrus and seal, ii. 213; account of the organs of generation of the Mexican *Proteus*, ii. 221; on the existence of nerves in the placenta, ii. 226; on the changes the ovum of the frog undergoes during the formation of the tadpole, ii. 227; on the influence of nerves and ganglions in producing animal heat, ii. 238, 259; on the materials of the brain and of the ova of animals, ii. 247; on the structure of a muscular fibre from which is derived its elongation and contraction, ii. 259; on the coagulation by heat of the fluid blood in an aneurismal tumour, ii. 268; on the production and formation of pearls, ii. 278; on the mode of propagation of the oyster and fresh-water muscle, ii. 301; on the structure of the cells of the human lungs, and the office they perform in respiration, ii. 303; on the effects produced upon the air cells of the lungs when the pulmonary circulation is too much increased, ii. 321; on the stomach of the zariffa, ii. 389.
- Horner (H. G.), new method of solving numerical equations, ii. 117.
- Horsburgh (J.), observations on a diurnal variation of the barometer between the tropics, i. 185; remarks on icebergs met with in the southern hemisphere, ii. 392.
- Howard (E.) on a new fulminating mercury, i. 18; on stony and metal-line substances, said to have fallen on the earth, i. 75; on various kinds of native iron, i. 79.
- Howard (L.) on the extraordinary depression of the barometer, Dec. 1821, ii. 163.
- Hulme (Dr. N.) on light which is spontaneously emitted, i. 11, 60.
- Human skeleton, fossil, from Guadaloupe, i. 487.
- Humphreys (Col. D.) on a new variety in the breeds of sheep, i. 451.
- Hutton (Dr. C.) on the mean density of the earth, ii. 148.
- Hydrargillite, a new mineral, i. 183.
- Hydraulic investigations for ascertaining the motion of the blood, i. 298, 314.
- Hydrocarbon, ii. 272.
- Hydrogen, nature of, i. 351, 353.
- Hydrogen and charcoal, on the aëri-form compounds of, ii. 143.
- Hydrogen gas, vibrations of a pendulum in, ii. 368.
- Hygrometer, improved, ii. 258.
- Hyperbola, on the rectification of the, i. 393.
- Hyperoxymuriates, on the action of acids on, ii. 20.
- Hypophosphorous acid of M. Dulong, Sir H. Davy on, ii. 96.

I.

- Ibis, account of two mummies of the, i. 201.
- Ice:—found in the bottoms of rivers, ii. 46; on the elasticity of, ii. 276.
- Icebergs of the southern hemisphere, remarks on, ii. 392.
- Iceland crystal, oblique refraction of, i. 92.
- Igneous and aqueous formations, on the analogy between, i. 153.
- Iguanodon, a newly discovered fossil reptile, ii. 234.
- Illuminating powers of olefiant coal and oil gases, ii. 120.
- Illumination of light-houses, on, ii. 411.
- Imaginary quantities, on, i. 39, 216.
- Imperial standard yard, ii. 257, 409.
- Incubation, on the change the egg undergoes during, ii. 172, 175.
- Infinite series, new methods of finding the sums of a variety of, ii. 115.
- Insects, on the brain of, ii. 203; sex not given to the eggs of at any very early period of their growth, ii. 347.
- Intestinal concretions, ii. 156.
- Intestines, small, of birds, i. 404.
- Iodates, ii. 20.

Iode, a new substance which becomes a violet-coloured gas by heat, i. 483.

Iodic acid, ii. 20.

Iodine:—experiments on, i. 507; on its occurrence in the mineral springs of South Britain, ii. 402.

Iodine and oxygen, experiments on a solid compound of, ii. 19.

Iron:—arseniate of, from Cornwall, i. 43; analysis of, i. 45; native, i. 75, 109. ii. 43, 45; new species of oxide of, i. 126; sulphurets of, i. 155; magnetic attraction of oxides of, i. 204; experiments on the strength of, ii. 87; on the separation of from other metals, ii. 148; on the anomalous magnetic action of hot iron between the white and blood-red heat, ii. 164; developement of magnetical properties in, by percussion, ii. 168, 210; on the magnetism of, during rotation, ii. 241, 243, 249, 251.

Ironstone, carbonate of lime, and bitter spar, on the primitive crystals of, i. 422.

Ivory (J.) on the attractions of homogeneous ellipsoids, i. 341; on Laplace's method for computing the attractions of spheroids, i. 413; on the attractions of spheroids, i. 415; new method of deducing a first approximation to the orbit of a comet from three geocentric observations, i. 489; on the expansion in a series of the attraction of a spheroid, ii. 162; on the astronomical refractions, ii. 200; on the figure requisite to maintain the equilibrium of a homogeneous fluid mass that revolves upon an axis, ii. 206.

J.

Jacob (Dr. A.), account of a membrane in the eye now first described, ii. 116.

James's powder, method of preparing, i. 57.

Java swallow, on the glands that secrete the mucus of which their nests are composed, ii. 77.

Jenner (Dr. E.) on the migration of birds, ii. 204.

Johnson (Dr. J. R.) on the *Hirudo vulgaris*, ii. 54; on the genus *Planaria*, ii. 177, 238.

Johnson (Dr.) on the *Hirudo complanata* and *H. stagnalis*, now formed into a distinct genus, ii. 78.

Jones (T.), description of an improved hygrometer, ii. 258.

Juno, nature and magnitude of, i. 170.

Jupiter, eclipses of the satellites of, i. 312.

K.

Kater (Capt. H.) on the light of the Cassegrainian telescope compared with that of the Gregorian, i. 468, 493; method of dividing astronomical circles and other instruments, i. 504; experiments for determining the length of the pendulum vibrating seconds in the latitude of London, ii. 83; on the length of the French metre estimated in parts of the English standard, ii. 85; experiments for determining the variation in the length of the pendulum vibrating seconds, ii. 117; comparison of various British standards of linear measure, ii. 139; remeasurement of the cube, cylinder, and sphere used by the late Sir G. S. Evelyn, ii. 150; on the best kind of steel and form for a compass needle, ii. 141; notice respecting a volcanic appearance in the moon, ii. 142; description of a floating collimator, ii. 232; account of the construction and adjustment of the new standards of weights and measures, ii. 254; description of a vertical floating collimator, ii. 340; on the error in standards of linear measure, ii. 409.

Kidd (Dr. J.) on the natural production of saltpetre on the walls of buildings, i. 509; on naphthaline, ii. 146; anatomy of the mole-cricket, ii. 236.

Kirkdale, fossil teeth and bones found in a cave at, ii. 165.

Knight (Thos.) on the penetration of a hemisphere by any number of equal and similar cylinders, i. 434; new demonstration of the binomial theorem, ii. 52, 70; of the attraction of such solids as are terminated by planes, and of solids of greatest attraction, i. 433; on the expansion of functions of multinomials, i. 390; on the construction of logarithmic tables, ii. 69; two general proposi-

- tions in the method of differences, ii. 70.
- Knight (T. A.)** on the ascent of the sap in trees, i. 53; on the descent of the sap in trees, i. 118, 201; upon the different qualities of the alburnum of spring- and winter-felled oak trees, ii. 127; on the motion of the sap in trees, i. 147; on the state in which the true sap of trees is deposited during winter, i. 172; on the reproduction of buds, i. 200; on the direction of the radicle and germen during the vegetation of seeds, i. 218; on the inverted action of the alburnous vessels of trees, i. 236; on the formation of the bark of trees, i. 258; on the economy of bees, i. 268, ii. 346; on the inconvertibility of bark into alburnum, i. 290; on the alburnum of trees, i. 311; on the origin and formation of roots, i. 328; on the influence of male and female parents on their offspring, i. 343; on the parts of trees primarily impaired by age, i. 368; on the causes which influence the direction of the growth of roots, i. 398; on the motions of the tendrils of plants, i. 434; on ice found in the bottoms of rivers, ii. 46; on the action of detached leaves of plants, ii. 47; on the expansion and contraction of timber in different directions relative to the position of the medulla, ii. 73; on the office of the heart wood of trees, ii. 87.
- Knox (Rt. Hon. G.)** on the Newry pitchstone, and on the formation of pumice, ii. 172; on bitumen in stones, ii. 202.
- Knox (J.)** on some phenomena of colours, ii. 15.
- König (C.)** on a fossil human skeleton from Guadaloupe, i. 487.
- L.**
- Lac**, experiments and observations on, i. 148.
- Lacerta Gecko** of Java, on the feet of the, ii. 38, 52.
- Lamb**, monstrosous, i. 41.
- Lambton (Lt. Col. W.)**, results deduced from the measurement of an arc on the meridian, ii. 102; corrections applied to the great meridional arc, to reduce it to the parliamentary standard, ii. 182.
- Lamprey** and myxine, on the organs of respiration in, ii. 23; on the mode of generation of, ii. 24, 188.
- Lane (T.)** on the magnetic attraction of oxides of iron, i. 204.
- Lantern**:—Dr. Clanny's, for coal mines, i. 467; Sir H. Davy's, for coal mines, ii. 31; safety-lamp, ii. 32, 35, 61.
- Laplace, Mr. Ivory** on his method for computing the attractions of spheroids, i. 413.
- Lax (Rev. W.)**, method of examining the divisions of astronomical instruments, i. 335.
- Leach (Dr. W. E.)** on the genus *Ocythoë*, with a description of a new species, ii. 75.
- Lead**, native, arseniate of, i. 331.
- Leaves**, detached, of plants, on the action of, ii. 47.
- Lee (S.)** on the dispersive power of the atmosphere, and its effects on astronomical observations, ii. 28.
- Lee (Dr.)** on the functions of the intestinal canal and liver of the human foetus, ii. 361.
- Leech**, on the respiration of the, ii. 24.
- Lens**:—fluid, of 7·8 inches aperture employed in a telescope, ii. 356; compound, on the aberrations of, ii. 146.
- Levellings** carried across the Isthmus of Panamá, account of, ii. 385.
- Libavius**, a new property of the liquor of, i. 426.
- Life contingencies**, an analysis and notation applicable to the estimation of the value of, ii. 132; on a new mode of determining the value of, ii. 252; formula for expressing the decrement of human life, ii. 275.
- Light**:—spontaneously emitted, on, i. 11, 60; on the dispersion of, i. 91; on some properties of, i. 453; new properties of exhibited in the optical phenomena of mother-of-pearl, i. 502; on the properties impressed upon light by the action of glass, i. 506; on the action of crystallized surfaces upon, ii. 111; maximum of the aberration of, ii. 114; experiments on solar and terrestrial,

- ii. 120; artificial, new photometer to determine the relative intensities of, ii. 231; of the sun, method of comparing with that of the fixed stars, ii. 355; on the reflexion and decomposition of, at the separating surfaces of media of the same and of different refractive powers, ii. 366; on the law of its partial polarization by reflexion, ii. 387; on the structure producing its double refraction, ii. 389; on the laws of its polarization by refraction, ii. 394; on the action of the second surfaces of transparent plates upon, ii. 395; on the phenomena and laws of its elliptic polarization, ii. 407; on the depolarization of by various bodies, i. 506. ii. 4; on the polarization of, i. 453, 490, 492, 504. ii. 4, 7, 14, 33, 39, 50, 92, 104, 111, 122, 366, 387, 394, 395, 407.
- Light and colours, theory of, i. 63.
- Light and heat:—on the laws to which they are subject, i. 23, 30; from the sun, on the causes or symptoms of the variable emission of, i. 49, 55.
- Light and sound, experiments respecting, i. 8.
- Light-houses:—intense light for, ii. 277; on the illumination of, ii. 411.
- Lime:—muriate of, artificial cold produced by, i. 40; carbonate of, new species of, i. 125.
- Linear measure:—comparison of various British standards of, ii. 139, 150; on the error in standards of, ii. 409.
- Liquids:—condensation of several gases into, ii. 192; on the application of as mechanical agents, ii. 193.
- Liquors, fermented:—the state in which spirit exists in, i. 408; the state in which alcohol exists in, i. 450; of Libavius, a new property of, i. 426.
- Lister (J. J.) on some properties in achromatic object-glasses applicable to the improvement of the microscope, ii. 399.
- Lithic or uric acid, purpuric acid obtained from, ii. 100.
- Lloyd (J. A.), account of levellings carried across the Isthmus of Panamá, ii. 385.
- Logarithms, method of computing, i. 239; on the construction of logarithmic tables, ii. 69; attempt to rectify the inaccuracy of some logarithmic formulæ, ii. 365.
- Longitude:—on the errors in, arising from the action of the iron in ships, ii. 130; trigonometrical operations for determining the difference of between the Observatories of Greenwich and Paris, ii. 335.
- Lubbock (J. W.) on the pendulum, ii. 401; researches in physical astronomy, ii. 409.
- Luminous animals, on, i. 379.
- Lungs:—on the black spots of the, i. 564; on the effects of galvanism in restoring the due action of, ii. 55; on the elasticity of the, ii. 121; on the structure of the cells of, and the office they perform in respiration, ii. 303; on the effects of dividing the nerves of, and influence of voltaic electricity on the, ii. 320; on the effects produced upon the air cells of, when the pulmonary circulation is too much increased, ii. 321.
- Lyndon, register of the barometer, thermometer, and rain, at, for 1798, i. 5.
- α Lyrae, on the parallax of, ii. 93, 184, 222.

M.

- Macartney (J.) on luminous animals, i. 379; on the small intestines of birds, i. 404.
- Machinery, on a method of expressing by signs the action of, ii. 273.
- Madeira and Falmouth, observations made with chronometers for ascertaining the longitude of, ii. 219.
- Madras, geographical situation of, ii. 176, 177.
- Magnesia, effects of in preventing an increased formation of uric acid, i. 363, 469; on the manufacture of sulphate of at Monte della Guardia, ii. 48.
- Magnet, its action upon mercury, ii. 189, 208; upon metallic titanium, ii. 199.
- Magnetic needle:—observations made at the Royal Society, on the variation and dip of, i. 244; on the variation of, i. 187. ii. 108, 109, 110, 130, 141, 197, 218, 225, 244, 293, 318, 321, 344, 347, 391; dip of the needle in

- London in 1821, ii. 155, in 1828, ii. 357; annual decrease of the dip in London diminishing, ii. 358.
- Magnetism**:—magnetical pyrites, analysis of, i. 155; magnetic attraction of oxides of iron, i. 204; magnetic phenomena produced by electricity, ii. 136, 154; magnetic action, anomalous, of hot iron between the white and blood-red heat, ii. 164; on the development of magnetical properties in steel and iron by percussion, ii. 168, 210; magnetic intensity, on the diurnal changes of in the dipping and horizontal needles, ii. 197, 293, 344; apparent magnetism of metallic titanium, ii. 199; magnetic forces, on the effects of temperature on the intensity of, ii. 225; magnetism of iron and other substances during rotation, ii. 241, 243, 249, 251; magnetizing power of the more refrangible solar rays, ii. 263; magnetic influence in the solar rays, on, ii. 270, 351; magnetic needle, observations for determining the dip of, ii. 293; magnetic and electrical rotations, ii. 287, 295, 305; magnetic bodies, on the mutual action of the particles of, ii. 305.
- Malformation in the heart of an infant**, i. 195.
- Malic acid**, observations on, ii. 22.
- Manatee**, on the peculiarities that distinguish it from the dugong, ii. 152.
- Manning (Thos.)**, method of computing logarithms, i. 239.
- Mantell (G.)** on the iguanodon, a newly discovered fossil reptile, ii. 234.
- Marcet (Dr. A.)**, analysis of the waters of the Dead Sea and the river Jordan, i. 275; on the non-existence of sugar in the blood of persons labouring under diabetes mellitus, i. 391; on the alcohol of sulphur, or sulphuret of carbon, i. 465; on the production of cold by the evaporation of the sulphuret of carbon, i. 473; on the specific gravity and temperature of sea-waters, and account of their saline contents, ii. 111, 178.
- Martin (E.)**, description of the mineral basin, South Wales, i. 240.
- Maskelyne (Dr.)** on a new property of the tangents of three arches intersecting the circumference of a circle, i. 293.
- Maskelyne (Dr.)**, formulæ for finding the longitude and latitude of a celestial object from its right ascension and declination; and for finding its right ascension and declination from its longitude and latitude,—demonstrations of, ii. 38.
- Masulipatam**, longitude of, ii. 177.
- Matter**, expectorated, on, i. 339.
- Meadow saffron**, the *eau medicinale* of Husson, a vinous infusion of the, ii. 41.
- Measure**, linear, comparison of various British standards of, ii. 139, 150; on the error in standards of, ii. 409.
- Measures and weights**, account of the construction of the new standards of, ii. 254.
- Mechanics**, suggestion of a new term in, ii. 299.
- Mediterranean**, on the water of the, ii. 355.
- Medulla spinalis**, on a canal in that of quadrupeds, i. 325.
- Megalosaurus**, fossil, in the sandstone of Tilgate forest, ii. 234.
- Membrane**, on the component parts of, ii. 25.
- Mendoza (J. de)** on an improved reflecting circle, i. 56.
- Mercurial vapours**, account of their effect on the crew of H. M. ship *Triumph*, ii. 200.
- Mercury**, transit of, over the disc of the sun, i. 112.
- Mercury**, fulminating, new, i. 18; freezing of, 474; action of a magnet upon, ii. 189, 208.
- and platina, action of upon each other, i. 175; palladium a combination of, i. 123, 175.
- Meridional arc**, great, corrections applied to reduce it to the parliamentary standard, ii. 182.
- Mesotype**, i. 396.
- Metallic substances**, on the powers of as conductors of electricity, ii. 298.
- titanium, on, ii. 180, 199.
- Metalline substances** said to have fallen on the earth, on, i. 75, 109.
- Metals**:—new, discovered in platina, i. 161, 162; on the preservation of by electro-chemical means, ii. 207, 213, 242; modulus of torsion of, ii. 362.

- Meteorite stones, i. 75, 109.
- Mètre, French, on the length of, estimated in parts of the English standard, ii. 85.
- Mexican Proteus, account of the organs of generation of, ii. 221.
- Micrometer :—single lens, description of a, i. 456; made of rock crystal, account of, ii. 141; on the method of cutting rock crystal for, ii. 124.
- Microscope, periscopic, i. 438.
- , on some properties in achromatic object-glasses applicable to the improvement of the, ii. 399.
- Microscopic doublet, Dr. Wollaston's, ii. 353.
- Migration of birds, observations on, ii. 204.
- Milk tusks of the dugong, on the, ii. 126.
- Milky Way, observations on the, i. 496. ii. 77.
- Miller (Lt.-Col.), description of a percussion shell to be fired horizontally from a common gun, ii. 296.
- Mineral basin (South Wales), description of, i. 240.
- substances, on the modes of attraction which influence the formation of, i. 135.
- Minerals, bitumen in, ii. 202.
- Mines in Cornwall, on the electromagnetic properties of metalliferous veins in, ii. 412.
- Minium, native, discovery of, i. 232.
- Mists, on the formation of, ii. 110.
- Modulus of torsion, ii. 362.
- Moel Elio, the height of, ii. 132.
- Mole-cricket, anatomy of, ii. 236.
- Moll (Dr. G.), experiments on the velocity of sound, made in Holland, ii. 221; on Capt. Parry's and Lieut. Foster's experiments on the velocity of sound, ii. 332.
- Monte della Guardia, on the manufacture of sulphate of magnesia at, ii. 48.
- Moon, volcanic appearance in the, ii. 142; a luminous spot observed on the dark part of her limb, ii. 167.
- Morgan (W.), method of determining the values of contingent reversions depending upon three lives, i. 4.
- Mornay (A. F.), account of the discovery of a mass of native iron in Brazil, ii. 43; Dr. Wollaston's experiments on, ii. 45.
- Morton (Earl of) on a singular fact in natural history, ii. 137.
- Mother-of-pearl, optical properties peculiar to, i. 502.
- Mount Vesuvius, on a saline substance from, i. 474; on the eruptions of, ii. 339.
- Mountains in the North of England, on the heights of, ii. 97.
- Mudge (Lt.-Col.), account of the trigonometrical survey, made in 1797, 1798, and 1799, i. 33; account of the measurement of an arc of the meridian, from Dunnose, in the Isle of Wight, to Clifton, in Yorkshire, i. 129; on the measurement of three degrees of the meridian conducted in England by, i. 435.
- Multinomials, on the expansion of functions of, i. 390.
- Mummies, Egyptian, on, ii. 240; of the Egyptian Ibis, i. 201.
- Murdoch (W.) on the application of gas from coal to economical purposes, i. 294.
- Muriate of lime, artificial cold produced by, i. 40.
- of soda, analysis of, i. 356.
- Muriatic acid and oxymuriatic acid, on their relation to each other, i. 377; experiments on, i. 431.
- , on decomposing, i. 14; oxygenized and hyperoxygenized, i. 71; experiments on, i. 322.
- Muscle (fresh-water), and oyster, mode of propagation of, ii. 301.
- Muscles of slow-moving animals, on the, i. 7, 132.
- of fishes, on the, i. 210.
- of the eye, on the uses of, ii. 190.
- Muscular motion, on, i. 163; on the duration of muscular action, i. 348.
- Musket (D.), experiments on wootz, i. 183.
- Musical intervals, temperament of, i. 10.
- Myxine and lamprey, on the respiration of, ii. 23; on the mode of generation of, ii. 24.

N.

- Naphthaline, on, ii. 146.
- Narwhale, on the tusks of the, i. 458.
- Natrolite, i. 396.
- Natural history, a singular fact in, ii. 137.

- Nebulæ:—Herschel's catalogue of, i. 98 ; Dunlop's catalogue of, ii. 334.
- Needle, compass, on the best kind of steel and form for, ii. 141.
- , horizontal and dipping, on the diurnal changes of, ii. 197, 293, 344.
- , magnetic:—on the variation of, i. 187. ii. 108, 109, 110, 130, 141, 197, 218, 225, 244, 293, 318, 321, 347, 391 ; on the dip of, i. 244 ; on the dip of in London, in 1821, ii. 154, in August 1828, ii. 357.
- Negro, on the black rete mucosum of the, ii. 135.
- Nerves:—on the irritability of, i. 33 ; in the lens, probability of, i. 38 ; microscopical observations on, ii. 137 ; structure and functions of, ii. 153, 171 ; influence of the eighth pair on the stomach, i. 486 ; on their influence upon the action of the arteries, i. 513 ; of respiration, on the, ii. 153, 171 ; influence of the voltaic battery in obviating the effects of the division of the eighth pair of, ii. 156 ; of the orbit, on the, ii. 195 ; optic, on semi-decussation of, ii. 211 ; on their existence in the placenta, ii. 226 ; of the lungs, on the effects of dividing, ii. 320 ; and ganglions, on their influence in producing animal heat, ii. 238 ; animal heat influenced by the, ii. 259 ; of the face, ii. 266, 380.
- Nervous affections cured by pressure of the carotids, i. 390.
- circle, which connects the voluntary muscles with the brain, ii. 266.
- system, inquiry how far the power of the heart is influenced by, ii. 8, 29 ; on the functions of, ii. 373.
- Nests of the Java swallow, some account of, ii. 77.
- Newry pitch-stone, on the, ii. 172.
- Nitre, on the production of, i. 509.
- Nitrogen, experiments on, i. 351.
- Numbers, new instrument for performing the involution and evolution of, ii. 2.
- O.
- Oak trees, on the different qualities of the alburnum of spring- and winter-felled, ii. 127.
- Object-glass, triple, on the concentric adjustment of, ii. 157.
- Object-glasses and compound lenses, on the aberrations of, ii. 146.
- , achromatic, method for determining the dispersive ratio of glass, and computing the radii of curvature for, ii. 316 ; on their properties as applicable to the improvement of the microscope, ii. 399.
- Obliquity of the ecliptic, observations for determining the, ii. 114.
- Ocean, on the temperature of the, ii. 73.
- Ocythoë Cranchii*, a new species, taken in a small Argonauta, ii. 75.
- Ocythoë* of Rafinesque, observations on, ii. 75, 108.
- Oil gas, ii. 119, 143.
- Oil of wine, ii. 273.
- Olbers (Dr.), nature of the new planet (Vesta) discovered by, i. 271.
- Ophiognathus, description of the, ii. 302.
- Opossum and ornithorhynchus, on the ova of the tribes of, ii. 114.
- Optic nerves, on semi-decussation of, ii. 211.
- Optics:—physical, experiments and calculations relative to, i. 131 ; optical effects of heated glass, ii. 33 ; optical properties of tabasheer, ii. 115 ; on the manufacture of glass for optical purposes, ii. 383 ; optical deception in the appearance of the spokes of a wheel seen through vertical apertures, explanation of, ii. 230.
- Oreston, on some fossil bones found in caverns at, ii. 186.
- Organic remains found near Brentford, account of, i. 459.
- Ornithorhynchus and opossum, on the ova of the tribes of, ii. 114.
- Ornithorhynchus Hystrix*, on the anatomy of, i. 89.
- Ornithorhynchus paradoxus*, on the head of, i. 29 ; anatomy of the, i. 68 ; on the fossil remains of an animal resembling the, i. 512. ii. 51, 82.
- Osler (E.) on burrowing and boring marine animals, ii. 278.
- Osmium, a new metal, i. 162. ii. 353.
- Ostrich of Africa, i. 450.
- Ova:—of the *Sepia*, and of the *Vermes* testacea, distinguishing characters

- between, ii. 75; of the tribes of opossum and ornithorhynchus, ii. 114.
- Ovarium, a case of the human fœtus found in the, ii. 123; case of a full-grown woman in whom the ovaria were deficient, i. 194; on the passage of the ovum from the ovarium to the uterus, ii. 70.
- Oxalic acid, i. 285.
- Oxide of iron, new species of, i. 126; magnetic attraction of, i. 204.
- Oxygen and iodine, experiments on a solid compound of, ii. 19.
- Oxygen and oxymuriatic gas, on the combinations of, i. 385, 393.
- Oxygen gas and atmospheric air, changes produced in, by respiration, i. 305.
- Oxyiodic acid, ii. 20.
- Oxyiodine, a new compound of iodine and oxygen, ii. 19.
- Oxymuriatic acid, nature and combinations of, i. 377, 385, 393.
- Oxymuriatic and muriatic acids, experiments on, i. 431.
- Oyster, and fresh-water muscle, on the mode of propagation of, ii. 301.
- P.
- Pacific Ocean, determination of its relative height above the Atlantic at Panamá, ii. 385.
- Painting, on the colours used by the ancients for, ii. 11.
- Palladium:—on the nature of, i. 121, 175; on the discovery of, i. 207; from Brazil, i. 330; malleable, ii. 353.
- Pallas and Ceres, Dr. Herschel's observations on, i. 80.
- Panamá, survey of the Isthmus of, ii. 385.
- Papyri found in the ruins of Herculaneum, experiments on, ii. 145.
- Parallax and aberration, investigation of the effects of on the places of certain fixed stars, ii. 151.
- Parallax of α Aquilæ, on the, ii. 101.
- of α Lyrae, ii. 93, 184, 222.
- of the annual orbit, i. 373.
- of the fixed stars, ii. 65, 66, 79, 93, 102, 274, 308.
- Paris and Greenwich Observatories, observations made for the purpose of determining the difference of meridians of, ii. 261, 319, 335.
- Parry (Capt. W. E.), magnetical observations at Port Bowen, ii. 293; observations for determining the dip of the magnetic needle at Woolwich, ii. 293; observations to determine the amount of atmospherical refraction at Port Bowen, ii. 296.
- Parry (Dr. C. H.) on a case of nervous affection cured by pressure of the carotids, i. 390.
- Pearls, on the production and formation of, ii. 278.
- Pears (C.), history of a woman in whom the ovaria were deficient, i. 194.
- Pearson (Dr. G.) on expectorated matter, i. 339; experiments on pus, 383; on the colouring matter of the black bronchial glands, and of the black spots of the lungs, i. 464.
- Pearson (J.), account of the two mummies of the Egyptian Ibis, i. 201.
- Pendulum, invariable:—experiments made with it in London, at the Galapagos Islands, at Sans Blas, and at Rio de Janeiro, ii. 193; at New South Wales, ii. 196; at Greenwich, at Port Bowen, and on the eastern side of Prince Regent's Inlet, ii. 290; on the difference in the number of vibrations at London and Greenwich, ii. 360; on the reduction to a vacuum of the vibrations of, ii. 368; observations with for determining the compression of the earth, ii. 396; on the difference in the number of vibrations at Greenwich and Altona, ii. 403.
- , seconds:—experiments for determining the length of in the latitude of London, ii. 83, 255; on the variation in the length of at the principal stations of the Trigonometrical Survey of Great Britain, ii. 117; on the acceleration of in different latitudes, ii. 144; observations for ascertaining the length of at Madras, ii. 165; comparison of the length of at Unst and at Leith Fort, ii. 255; on the difference in the length of in London and Paris, ii. 329.
- , Kater's convertible, on the reduction to a vacuum of, ii. 381; investigations relative to the, ii. 401.
- , rolling, remarks on Euler's formula for the, ii. 108.

- Pepys (W. H.) on a new eudiometer, i. 270; on respiration, i. 345; account of an apparatus for performing electro-magnetic experiments, ii. 192; on the respiration of birds, ii. 375.
- Perchloride of carbon, ii. 138.
- Percussion:—on the developement of magnetical properties in steel and iron by, ii. 168, 210; on the force of, i. 213.
- Percussion shell, Lieut.-Col. Miller's, description of, ii. 296.
- Periscopic camera obscura and microscope, i. 438.
- Perkins (J.) on the compressibility of water, ii. 134, 289.
- Perspective, propositions on the elliptic representations of circles, upon a plane surface, by, i. 502.
- Phillip (A. P. W.) on the principle on which the action of the heart depends, and the relation which subsists between that organ and the nervous system, ii. 8, 29; on the effects of galvanism in restoring the due action of the lungs, ii. 55; influence of the voltaic battery in obviating the effects of the division of the eighth pair of nerves, ii. 156; on the effects of dividing the nerves of the lungs, and subjecting the latter to the influence of voltaic electricity, ii. 320; on the functions of digestion, ii. 364; on the functions of the nervous system, ii. 373.
- Phillips (R.) on a new compound of chlorine and carbon, ii. 153.
- Phosphorus:—on the nature of, i. 321; experiments on, i. 318, 378; on the combinations of, ii. 95.
- Phosphorus and sulphur, on some combinations of, i. 440.
- Phosphuret of chromium, ii. 314.
- Photometer, new, ii. 231.
- Physical astronomy:—improved solution of a problem in, i. 7; on the integration of differential expressions, i. 150; researches in, ii. 409.
- observations, on the probabilities of error in, ii. 106.
- optics, experiments and calculations relative to, i. 131.
- Piezometer, ii. 134, 290.
- Pigott (E.), investigation of the changes of the variable star in Sobieski's Shield, i. 180.
- Pitch-stone of Newry, on the, ii. 172.
- Placenta:—Sir E. Home on the, ii. 176; on the existence of nerves in the, ii. 226.
- Planaria*, on the genus, ii. 177, 238.
- Planet, methods of calculating the ex-centric from the mean anomaly of a, ii. 37.
- Planets, figure of the, i. 341.
- Plants:—on the action of detached leaves of, ii. 47; on the motions of the tendrils of, i. 434.
- Plates, transparent, on the action of their second surfaces upon light, ii. 395.
- Platina and mercury:—palladium a combination of, i. 123, 175; action of upon each other, i. 175.
- Platina:—new metals found with, i. 161, 162, 207; from Brazil, i. 330; method of rendering it malleable, ii. 352; its tenacity and specific gravity, i. 455. ii. 352.
- Platinum:—new fulminating, ii. 63; on combinations of, ii. 124; sulphate of, a delicate test for jelly, ii. 124; finely divided, action of on gaseous mixtures, ii. 216.
- Playfair (J.), account of a lithological survey of Schehallien, i. 409.
- Plesiosaurus, fossil, in the sandstone of Tilgate Forest, ii. 236.
- Pleura, on air found in the, ii. 202, 215.
- Pneumato-thorax, on air found in the pleura in a case of, 202, 215.
- Point de Galle, latitude and longitude of, ii. 177.
- Poisonous fangs of serpents, on the structure of, ii. 101.
- Poisons:—vegetable, the modes in which death is produced by, i. 397; on the action of on the animal system, i. 427; of the rattlesnake, effects produced by, i. 354; of the common toad, ii. 262.
- Polarization and double refraction in crystallized bodies, on the laws of, ii. 92, 104.
- , elliptic, on the phenomena and laws of, ii. 407.
- of light, on the, i. 453, 490, 492, 504. ii. 4, 7, 14, 33, 39, 50, 92, 104, 122, 366, 387, 394, 395, 407.
- Pond (J.) on the declinations of some of the principal fixed stars, i. 245; observation of the summer solstice

- of 1812, i. 443; observation of the winter solstice of 1812, i. 457; catalogue of north polar distances of the principal fixed stars, i. 449, 477. ii. 29; determination of the north polar distances and proper motion of thirty fixed stars, ii. 29; on the parallax of the fixed stars, ii. 65, 66, 79, 102; on constructing a catalogue of fixed stars, ii. 99; on the parallax of α Aquilæ, ii. 101; letter relative to the mural circle at the Royal Observatory, ii. 160; on the changes in the declination of some of the fixed stars, ii. 182, 183, 203; on the parallax of α Lyræ, ii. 184; on the annual variations of some of the principal fixed stars, ii. 251.
- Porpoise, structure of the stomach of, i. 256.
- Porrett (R.) on the constitution of the prussic, of the ferruretted chyazic, and of the sulphuretted chyazic acids, ii. 21.
- Port Bowen:—experiments made with an invariable pendulum at, ii. 290; on the daily variation and intensity in the dipping and horizontal needles at, ii. 293; observations to determine the amount of atmospherical refractions at, ii. 296, 308.
- Portrait, on the apparent direction of eyes in a, ii. 214.
- Potash, discovery of in sea-water by Dr. Wollaston, ii. 112.
- Potassium, an easy mode of procuring, i. 513.
- Powell (Rev. B.), inquiry into the nature of the radiant heating effects from terrestrial sources, ii. 235; experiments relative to the passage of radiant heat through glass screens, ii. 280.
- Pressure, its influence in producing double refraction, ii. 7, 389.
- Prevost (P.), Quelques remarques sur la chaleur, et sur l'action des corps qui l'interceptent, i. 94.
- Princep (J.) on the measurement of high temperatures, ii. 331; meteorological journal kept at Benares, ii. 340.
- Proteo-Saurus, account of the fossil skeleton of the, ii. 113, 128.
- Proteus anguinus*, description of, i. 48.
- Proteus, Mexican, on the organs of generation of, ii. 221.
- Prout (Dr. W.) on purpuric acid, ii. 100; on the changes the egg undergoes during incubation, ii. 175; on the acid and saline matters usually existing in the stomachs of animals, ii. 204; on the ultimate composition of simple alimentary substances, ii. 321.
- Prussiate of mercury, examination of, ii. 21.
- Prussic acid, the constitution of, ii. 21.
- Pumice, on the formation of, ii. 172.
- Purification of Thames water, spontaneous, ii. 376.
- Purpuric acid, a compound of ammonia with a peculiar acid principle, ii. 100.
- Pus:—experiments on, i. 383; on its conversion into new flesh, ii. 103.
- Pyrates, magnetical, analysis of, i. 155.
- Pyrometer, Princep's, ii. 331.
- , register, Mr. Daniell's, ii. 404.
- Pyrometric alloys, on the measurement of high temperatures with, ii. 331.

Q.

- Quadrupeds, on the intervertebral substance in, i. 329.
- Quagga, singular fact respecting the, ii. 137.
- Quantities, algebraic, capable of geometrical representation, ii. 382.
- , imaginary, on, i. 39, 216.
- , negative, on the objections against the geometrical representation of their square roots, ii. 371, 382.

R.

- Raffles (Sir T.), account of the dugong, ii. 129.
- Rana, account of the urinary organs and urine of two species of, ii. 140.
- Rattlesnake, on the bite of the, i. 354.
- Recoil-engine, ii. 300.
- Red snow, on the fungi which constitute the colouring matter of, ii. 128.
- Reeve (Dr. H.), account of cretinism, i. 292.
- Reflecting circle, improved, i. 56.
- Reflexion:—prismatic, method of examining refractive and dispersive

- powers by, i. 90; on the laws which regulate the polarization of light by, ii. 14; reflexion of light producing polarization, ii. 394.
- Refraction**:—atmospherical, on double images caused by, i. 16, 371, 500. ii. 296, 308; horizontal, on the quantity of, i. 100; some remarks upon, with the co-latitude of the Dublin Observatory, i. 374; on astronomical refractions, ii. 200, 207; on the laws of the polarization of light by, ii. 394.
- , double:—on its production by pressure, ii. 7, 389; on the laws of in crystallized bodies, ii. 92; doubly-refracting crystals, on the laws which regulate the absorption of polarized light by, ii. 104; two modes of conducting observations on, ii. 122.
- Refractive and dispersive powers**, method of examining by prismatic reflexion, i. 90.
- Refrangibility of radiant heat**, i. 20; of the invisible rays of the sun, i. 22.
- Register-pyrometer**, Mr. Daniell's, ii. 404.
- Relistian tin mine**, account of, i. 275.
- Rennell (J.)** on the effect of westerly winds in raising the level of the British Channel, i. 344; on the current to the westward of the Scilly Islands, ii. 17.
- Rennie (G.)**, experiments on the strength of materials, ii. 87; experiments on the friction and abrasion of the surfaces of solids, ii. 364.
- Resistance of fluids to bodies passing through them**, ii. 327.
- Respiration**:—Mr. W. Allen and Mr. W. H. Pepys on, i. 345. ii. 375; changes produced in atmospheric air and oxygen gas by, i. 305; interruption of the circulation owing to the stoppage of, i. 389; on the structure of the organs of in the lamprey, myxine, *Aphrodita aculeata*, and the leech, ii. 23; artificial, ii. 121; on the nerves of, ii. 153, 171; on the organs of, in the *gryllotalpa*, ii. 237; of birds, experiments on, ii. 375; on the structure of the cells of the human lungs, ii. 303.
- Rete mucosum**, black, of the negro, on the use of, ii. 135.
- Reversions**, contingent, depending upon three lives, i. 4.
- Rhea americana**, i. 450.
- Rhinoceros**:—anatomical description of, i. 41; account of some fossil remains of the, ii. 66, 142; two-horned, account of the skeleton of, ii. 147; African, ii. 157.
- Rhodium**, a new metal, i. 162.
- Richardson (Dr. W.)** on the alterations in the structure of the rocks in Derry and Antrim, i. 300.
- Riding and carriage exercise**, advantages derived from, i. 349.
- Ritchie (Rev. W.)** on a new photometer to determine the relative intensities of artificial light, &c. ii. 231; on a new form of the differential thermometer, ii. 309; on the permeability of transparent screens of extreme tenuity by radiant heat, ii. 310; on electric conduction, ii. 350; on the electric and chemical theories of galvanism, ii. 382; on the elasticity of threads of glass, and applications of this property to torsion balances, ii. 402.
- River Jordan**, analysis of the water of, i. 275.
- Robertson (Rev. Dr. A.)**, new demonstration of the binomial theorem, i. 239; on the precession of the equinoxes, i. 253; methods of calculating the excentric from the mean anomaly of a planet, ii. 37; demonstrations of Dr. Maskelyne's formulæ for finding the longitude and latitude of a celestial object from its right ascension and declination, and for finding its right ascension and declination from its longitude and latitude, ii. 38.
- Robertson (J.)** on the permanency of the variation of the compass at Jamaica, i. 241.
- Rock crystal**, account of a micrometer made of, ii. 141; on the methods of cutting for micrometers, ii. 124.
- Rocks**, alterations in the structure of in Derry and Antrim, i. 300.
- Rodriguez (Don Joseph)** on the measurement of three degrees of the meridian conducted in England by Lieut.-Col. W. Mudge, i. 435.
- Roget (Dr. P. M.)**, new instrument for performing the involution and evo-

- lution of numbers, ii. 2; explanation of an optical deception in the appearance of the spokes of a wheel seen through vertical apertures, ii. 230.
- Roots, on the origin and formation of, i. 328; on the causes which influence the direction of the growth of, i. 398.
- Ross (Lieut. J. C.), observations to determine the amount of atmospherical refraction at Port Bowen, ii. 296.
- Rotation, on the magnetism of iron and other substances during, ii. 241, 243, 249, 251, 293, 295, 305; electrical and magnetic, ii. 287.
- Rumford (Count) on a curious phenomenon observed on the glaciers of Chamouny, with observations on the propagation of heat in fluids, i. 133; on the nature of heat, and the mode of its communication, i. 139.
- Rumker (C.), calculations of some observations of the solar eclipse on 7th Sept. 1820, ii. 150.
- Russell (Dr. P.) on the orifices found in poisonous snakes, i. 138; on the voluntary expansion of the skin of the neck in the Cobra de Capello, or hooded snake, i. 157.
- S.
- Sabine (Capt. E.) on irregularities in the direction of the compass needles, caused by the attraction of the iron in ships, ii. 109; on the dip and variation of the magnetic needle, ii. 110; experiments to determine the acceleration of the pendulum in different latitudes, ii. 144; on the temperature of the Caribbean Sea, ii. 193; comparison of barometrical measurement, with the trigonometrical determination of a height at Spitzbergen, ii. 217; on the difference in the number of vibrations made by an invariable pendulum in London and at Greenwich, ii. 360; on the ratio of the magnetic force in Paris and in London, ii. 326; on the difference in the length of the seconds pendulum in London and in Paris, ii. 329; on the dip of the magnetic needle in London, Aug. 1821, ii. 155, Aug. 1828, ii. 357; on the reduction to a vacuum of an invariable pendulum, ii. 368; on the reduction to a vacuum of Capt. Kater's convertible pendulum, ii. 381; note on the Rev. F. Fallows's observations with the pendulum at the Cape of Good Hope, ii. 39; on the difference in the number of vibrations made by an invariable pendulum at Greenwich and Altona, ii. 403; on the correction for variations of temperature, ii. 404.
- Safety-lamp, Dr. Clanny's, i. 467.
- , Sir. H. Davy's, ii. 32, 35, 61, 62.
- Salt, analysis of British and foreign, i. 356.
- Saltpetre, on the natural production of on the walls of buildings, i. 509.
- Salts, on super-acid and sub-acid, i. 289.
- Sap in trees, on the ascent of, i. 53; on the descent of, i. 118, 201; the motion of, i. 147; the state in which it is deposited during winter, i. 172.
- Saturn, on the figure of, i. 203, 246, 298; the climate and atmosphere of, i. 246.
- Saussure (Th. de) Sur la décomposition de l'amidon à la température atmosphérique par l'action de l'air et de l'eau, ii. 105.
- Say (Thos.) on the genus *Ocythoë*, ii. 108.
- Schehallien, lithological survey of, i. 409.
- Schreibers (Dr. C.) on a doubtful amphibious animal of Germany, called *Proteus Anguinus*, i. 47.
- Schroeter (J. J.) on the planet Vesta, i. 270.
- Scilly Islands, on the current to the westward of, ii. 17.
- Scoresby (W.) on the anomaly in the variation of the magnetic needle as observed on ship-board, ii. 108; experiments on the magnetical properties in steel and iron by percussion, ii. 168, 210.
- Sea serpent,—description of an extraordinary marine animal, ii. 302.
- Sea-sickness, on the origin of, i. 349.
- Sea-water, on the specific gravity, temperature, and saline contents of, ii. 73, 111, 178, 355.
- Sea-worm, on the shell of the, i. 234.

- Seal, on the difference of the teeth and shape of the skull in different species of, ii. 168; on the structure of the funis and placenta of, ii. 213.
- Second surfaces of transparent plates, their action upon light, ii. 395.
- Seeds, on the direction of the radicle and germen during the vegetation of, i. 218.
- Sempervivum tectorum*, the purest malic acid prepared from, ii. 23.
- Sepia and the Vermes testacea, distinguishing characters between the ova of, ii. 75.
- Seppings (R.) on a new principle of constructing ships of war, i. 496. ii. 80, with remarks on, by Dr. Young, i. 498; by M. Dupin, ii. 62; on a new principle of constructing mercantile ships, ii. 125.
- Serpentiform fishes, on a newly discovered genus of, ii. 302.
- Serpents, on the poisonous fangs of, ii. 101.
- Sewell (W.) on a canal in the medulla spinalis of some quadrupeds, i. 325.
- Sex not given to the eggs of birds, or to the spawn of fishes or insects, at any very early period of their growth, ii. 347.
- Shark, ovo-viviparous, on the mode of breeding of the, i. 374.
- Sheep, new variety in the breeds of, i. 451.
- Shell-fish, burrowing and boring, on, ii. 278.
- Shells:—fossil, ii. 198, 220; worm-shells, description of a rare species of, i. 233, 234.
- Ship-building, on a new principle in, i. 496, 498. ii. 62, 80, 125.
- Ships:—mercantile, on a new principle of constructing, ii. 125; on the application of electrical combinations to the preservation of the copper sheathing of, ii. 207, 213, 242, 284.
- Ships of war:—on a new principle of constructing, i. 496. ii. 80; remarks by Dr. Young, i. 498; by M. Dupin, ii. 62.
- Siamese twins, united, account of the, ii. 397.
- Sight:—a case of the recovery of, after having been deprived of it by cataract, i. 58; near and distant, observations relative to, i. 444, 454.
- Silver, discovery of in Herland copper-mine, i. 42.
- Simons (Dr.) on the velocity of sound, ii. 401.
- Sirius, its light compared with that of the sun, ii. 355.
- Skiddaw, the height of, ii. 98.
- Sliding-rule, extension of the principle of the, ii. 2.
- Smith (T.) on the poisonous fangs of serpents, ii. 101.
- Smithson (J.), analysis of some calamines, i. 102; on a discovery of native minium, i. 232; on the compound sulphuret from Huel Boys, i. 284; on the composition of zeolite, i. 396; on a substance from the elm tree, called ulmin, i. 447; on a saline substance from Mount Vesuvius, i. 474; facts relative to the colouring-matters of vegetables, ii. 86.
- Snakes:—poisonous, on the orifices found in, i. 138; hooded, on the voluntary expansion of the skin of the neck of, i. 157; on the progressive, motion of, i. 424.
- Snow, red, on the fungi which constitute the colouring-matter of, ii. 128.
- Snowdon, on the measurement of, ii. 132.
- Sobieski's Shield, on the changes of the variable star in, i. 180.
- Solar and terrestrial light, some experiments on, ii. 120.
- rays that occasion heat, experiments on, i. 23, 94.
- eclipse:—7th Sept. 1820, calculations of some observations of, ii. 150; predicted by Thales, on the, i. 400.
- light, experiments on, i. 61.
- observations, the use that may be drawn from, i. 49.
- rays, on magnetic influence in, ii. 27, 263, 351.
- tables, Delambre's, corrections thereof required by the Greenwich observations, ii. 328; required by Mr. South's observations, ii. 305.
- Solids:—on the attraction of such as are terminated by planes, i. 433; on the friction and abrasion of the surfaces of, ii. 364.
- Somerville (Dr. W.) on the magnetizing power of the more refrangible solar rays, ii. 263.

- Sorbic acid, a new vegetable acid, ii. 22.
- Sound, on the velocity of, ii. 188, 221, 332, 401.
- and light, experiments respecting, i. 8.
- Sounds inaudible by certain ears, on, ii. 133.
- Sounding-board, in Attercliffe church, description of, ii. 349.
- South (J.), observations of the apparent distances and positions of 458 double and triple stars, ii. 253; on the discordances between the sun's observed and computed right ascensions, ii. 285, with Prof. Airy's remarks on, ii. 305; observations of the apparent distances and positions of 380 double and triple stars, ii. 224.
- Space:—on the power of penetrating into by telescopes, i. 5; by naked vision, i. 6.
- Specific names, on their necessity to all such functions of simple elements as represent definite physical properties, ii. 299.
- Spherical surfaces, on the aberration of, ii. 126.
- Spheroid, on the expansion in a series of the attraction of a, ii. 162.
- Spheroids, on Laplace's method for computing the attractions of, i. 413, 415.
- Spinal marrow:—on the formation of the canal in the proteo-saurus for the, ii. 128; on its influence on the action of the heart, ii. 8, 10.
- Spine, on the mechanism of the, ii. 170.
- Spleen, its structure and uses, i. 283, 295. ii. 137.
- Springs, mineral, of England, discovery of bromine in, ii. 402.
- Squalus acanthius*, structure of the, i. 374.
- Squalus maximus*, anatomical account of, i. 329, 332, 471.
- Square roots of negative quantities, on the objections raised against the geometrical representation of, ii. 371.
- Standards of linear measure, on errors arising from the thickness of the bar in which they are traced, ii. 409.
- Standert (H. C.), description of malformation in the heart of an infant, i. 195.
- Stannanea and stannane, i. 426.
- Stapes, on the physiology of the, i. 188.
- Star, variable, in Sobieski's Shield, on the changes of, i. 180.
- Starch, sugar from, ii. 105.
- Stars, catalogue of nebulae and clusters of stars in the southern hemisphere, ii. 334.
- , double, on the changes in the relative situation of, i. 126, 158.
- , double and triple, observations of the apparent distances and positions of, ii. 224, 253.
- , fixed:—on the declinations of, i. 245. ii. 182, 183, 203; north polar distances of, i. 449, 477. ii. 29, 205; on the parallax of the, ii. 65, 66, 76, 79, 93, 102, 274, 308; on the methods of constructing a catalogue of, ii. 99; investigation of the effects of parallax and aberration of, ii. 151; catalogue of, between the zenith of Cape Town and the south pole, ii. 222; on the annual variations of, ii. 251; method of comparing the light of with that of the sun, ii. 355.
- , on the relative distances of clusters of, ii. 100.
- Steam-engines in Cornwall, on the progressive improvements in the efficiency of, ii. 393.
- Steel:—the best kind of for a compass needle, ii. 141; development of magnetical properties in by percussion, ii. 168, 210; on the alloys of, ii. 169; hard and soft, on the elasticity and strength of, ii. 218.
- Stodart (J.) on the alloys of steel, ii. 169.
- Stomach:—human, on the gastric glands of, and the contraction which takes place in that viscus, ii. 79; influence of the nerves of the eighth pair on, i. 486; of animals, nature of the acid and saline matters usually existing in, ii. 204; on its structure in animals, i. 256, 261; of the dugong, peculiar structure of, ii. 134; of the zariffa, ii. 389.
- Stone, new mode of performing the high operation for the, ii. 131.
- Stones:—containing fixed alkali, method of analysing, i. 196; bitumen in, ii. 202.
- Stony substances said to have fallen on the earth, on, i. 75, 109.

- Storer (Dr. J.) on an ebbing and flowing stream discovered by boring in the harbour of Bridlington, ii. 6.
- Stream, an ebbing and flowing, ii. 6.
- Sublimate, corrosive, on, ii. 173.
- Sugar from starch, ii. 105.
- , examination of, ii. 325.
- Sulphate of magnesia, on the manufacture of at Monte della Guardia, ii. 48.
- Sulpho-naphthalic acid, on, ii. 265.
- Sulphovinates, on, ii. 272.
- Sulphovinic acid, ii. 350.
- Sulphur, examination of, i. 320.
- and phosphorus, on some combinations of, i. 440.
- Sulphuret:—triple, of lead, antimony, and copper, i. 134; analysis of, i. 138, 284; of copper, on the different kinds of, i. 137; of iron, remarks on, i. 155; compound, from Huel Boys, composition of, i. 284; of carbon, production of cold by the evaporation of, i. 473.
- Sulphuretted chyzic acid, ii. 21.
- Sulphuric acid and alcohol, on the mutual action of, ii. 271, 350.
- Summer solstice, 1812, Mr. Pond's observation of, i. 443.
- Sun:—method of viewing with telescopes of large apertures, i. 21; refrangibility of the invisible rays of, i. 22; on the causes or symptoms of its variable emission of light and heat, i. 49, 55; on the motion of the, i. 197; on the discordances between the observed and computed right ascensions of, ii. 285, 305; method of comparing the light of with that of the fixed stars, ii. 355; its light compared with Sirius, with a candle, with the moon, ii. 355.
- Sun's rays, the black rete mucosum of the negro a defence against the scorching effect of, ii. 135.
- Suspension bridges, mathematical theory of, ii. 269.
- Swallow of Java, on the nests of the, ii. 77.
- T.
- Tabasheer, on the optical and physical properties of, ii. 115.
- Tadpole:—on the formation of fat in the intestine of, ii. 49; on the changes the ovum of the frog undergoes during its formation, ii. 227.
- Tan artificially produced, i. 193, 205, 220.
- Tannin, on an artificial substance possessing the properties of, i. 190, 205, 220.
- Tanning, on the operation of astringent vegetables in, i. 114.
- Tantalum and columbium, on the identity of, i. 336.
- Tapir of Sumatra, account of the skeleton of the, ii. 147.
- Teeth of the *Delphinus gangeticus*, description of, ii. 99.
- Telescopes:—on the power of penetrating into space by, i. 5; of large apertures, method of viewing the sun with, i. 21; experiments with to determine very small angles, i. 166; achromatic, on the construction of with a fluid concave lens, ii. 333, 345; on computing the radii of curvature for achromatic object-glasses, ii. 316; Cassegrainian, compared with the Gregorian, i. 468, 493; refracting, constructed with a fluid concave lens of 7·8 inches aperture, ii. 356; zenith, method of applying the vertical floating collimator to, ii. 342.
- Tellurium, i. 351.
- Temperature, determination of the higher degrees of by means of a new register-pyrometer, ii. 331, 404; correction for its variations with the invariable pendulum, ii. 404.
- Temperatures, high, on the measurement of, ii. 331.
- Tendrils of plants, on the motions of, i. 434.
- Tennant (S.) on the composition of emery, i. 94; on two metals found in the black powder after the solution of platina, i. 161; on producing a double distillation by the same heat, i. 513; mode of procuring potassium, i. 513.
- Teredo, shell of the sea-worm proved to belong to a species of, i. 234.
- Teredo gigantea*, on the shell of, i. 234.
- Teredo navalis*, anatomy of the, i. 234.
- Thales, on the solar eclipse said to have been predicted by, i. 400.
- Thames water, on the spontaneous purification of, ii. 376.
- Thermometer, differential, on a new form of the, ii. 309.

- Thermometer, its higher degrees estimated by a new register-pyrometer ii. 404.
- Thermometrical barometer for measuring altitudes, ii. 68; measurement of Snowdon by, ii. 132.
- Thomas (H. L.), anatomical description of a male rhinoceros, i. 41.
- Thomson (Dr. Thomas) on oxalic acid, i. 285; analysis of a new species of copper ore, i. 479; on some of the compounds of chromium, ii. 313.
- Threads of glass, their elasticity applied to torsion balances, ii. 402.
- Tiarks (Dr. J. L.), observations made with chronometers for ascertaining the longitude of Madeira and Falmouth, ii. 219.
- Tides between Fairleigh and the North Foreland, and explanation of the supposed meeting of the tides near Dungeness, ii. 113.
- Tillard (S.), narrative of the eruption of a volcano in the sea off the Island of St. Michael, i. 422.
- Timber, on the expansion and contraction of, ii. 73.
- Tin mine, Relistian, account of, i. 275.
- Titanium, metallic, ii. 180, 199.
- Toad, common, on the poison of, ii. 262.
- Todd (J. T.), experiments on the torpedo, ii. 36, 57.
- Tongue, on the structure of the, i. 111.
- Torpedo, experiments on the, ii. 36, 57, 354.
- Torsion, modulus of, in different species of wood and of metals, ii. 362.
- Torsion balance constructed with threads of glass, ii. 402.
- Transit instrument, made by Mr. Dollond for the Cambridge University, ii. 246; on the derangements of, ii. 261, 311; description of Sir J. South's, ii. 285.
- Tredgold (T.) on the elasticity and strength of hard and soft steel, ii. 218.
- Trees:—on the ascent of the sap, i. 53; the descent of the sap, i. 118, 201; the motion of the sap, i. 147; state in which the sap is deposited during winter, i. 172; reproduction of buds, i. 200; on the inverted action of the alburnous vessels, i. 236; on the formation of the bark, i. 258; on the inconvertibility of bark into alburnum, i. 290; on the alburnum of, i. 311; origin and formation of the roots, i. 328; on the parts impaired by age, i. 368; on the causes which influence the direction of the growth of the roots, i. 398; on the expansion and contraction of timber in different directions relative to the position of the medulla, ii. 73; on the office of the heart wood, ii. 87.
- Trigonometrical survey, i. 33, 129, ii. 185.
- Trimmer (W. K.), account of some organic remains found near Brentford, i. 459.
- Troughton (E.), method of dividing astronomical and other instruments by ocular inspection, i. 323.
- Turner (Dr. E.) on the composition of chloride of barium, ii. 377.
- Twins, Siamese, account of them, ii. 397.

U.

- Ulmin, i. 447.
- Uran-glimmer, on two species of, i. 209.
- Ure (Dr. A.), experimental researches on caloric, ii. 97; on the ultimate analysis of vegetable and animal substances, ii. 179.
- Urethra:—human, on the, ii. 130; on the re-establishment of a canal in the place of a portion which had been destroyed, ii. 149.
- Uric acid:—on the effects of magnesia in preventing an increased formation of, i. 363, 469; purpuric acid obtained from, ii. 100.
- Urinary calculus:—on the structure of calculi, i. 303, 305; account of one of uncommon magnitude, i. 339; cystic oxide, a new species of, i. 376; on the tendency to calculous diseases, ii. 359, 412; analysis of several belonging to the Norfolk and Norwich Hospital, ii. 359.
- organs and secretions of some of the amphibia, ii. 94; of two species of the *Rana*, account of, ii. 140.
- Urine:—on the composition of, i. 364; influence of acids upon the composition of, i. 469; of the camel, on the, i. 244; its dissimilarity in animals whose diet is similar, ii. 140.
- Uterine system in women, on a mal-conformation of, ii. 95.

Uterus, human, on the passage of the ovum from the ovarium to the, ii. 70.

V.

Vacuo, on the electrical phenomena exhibited in, ii. 159; on the reduction of the vibrations of pendulums to a vacuum, ii. 368, 381.

Vaisseaux Anglais, de la structure des, ii. 162.

Van Beek (Dr.), observations on the velocity of sound, ii. 401.

Vaporization, on the existence of a limit to, ii. 286.

Vas breve, on the discovery of valves in the branches of the, ii. 137.

Vegetable and animal substances, on the ultimate analysis of, ii. 179.

Vegetables:—astringent, their operation in tanning, i. 114; change of some of the proximate principles of into bitumen, i. 159; on the colouring matters of, ii. 86.

Vegetation of seeds, on the direction of the radicle and germen, i. 218.

Veins, metalliferous, electro-magnetic properties of, ii. 412.

Velocities, angular, on the methods best adapted for producing the greatest, ii. 393.

Velocity of sound, on, ii. 188, 221, 332, 401.

Vermes testacea, and the Sepia, distinguishing characters between the ova of, ii. 75.

Vesta, planet, i. 270, 271.

Vesuvius, on a saline substance from, i. 474; on the eruptions of, ii. 339.

Vibrio tritici, microscopical observations on the, ii. 179.

Vision:—on the mechanism of the eye, i. 35; case of the recovery of sight after having been deprived of it by cataracts, i. 58; power of the eye to adjust itself to different distances, i. 62; chemical nature of the humours of the eye, i. 108; account of two children born with cataracts in their eyes, i. 254; experiments on, i. 411; observations relative to the near and distant sight of different persons, i. 444, 454; anatomical structure of the eye, ii. 159; on the motions of the eye, ii. 190, 195; on semi-decussation of the optic nerves, ii. 211;

case of a lady who received sight at an advanced age, ii. 289.

Volcano in the sea off the island of St. Michael, narrative of the eruption of, i. 422; in the moon, ii. 142.

Volcanoes, on the phenomena of, ii. 338.

Volta (A.) on the electricity excited by the mere contact of different conducting substances, i. 27.

Voltaic apparatus, i. 252, 317.

— battery, experiments with a, ii. 27; its influence in obviating the effects of the division of the eighth pair of nerves, ii. 156.

W.

Walker (R.) on the production of artificial cold by muriate of lime, i. 40.

Walker (J.) on the resistance of fluids to bodies passing through them, ii. 327.

Walrus, some curious facts respecting the, ii. 213.

Ware (James):—case of the recovery of sight after having been deprived of it by cataracts, i. 58; observations relative to the near and distant sight of different persons, i. 444, with Sir G. Blagden's additional remarks on, 454.

Warren (Rev. J.) on the objections against the geometrical representation of the square roots of negative quantities ii. 371; on the geometrical representation of the powers of quantities whose indices involve the square roots of negative quantities, ii. 382.

Water:—on the quantity of gases absorbed by, i. 103; its equal temperature at the bottom of lakes, i. 133; on the compressibility of, ii. 134, 289.

— of the Mediterranean, on the, ii. 355.

—, Thames, on the spontaneous purification of, ii. 376.

Waters, mineral, of Britain, on the occurrence of iodine and bromine in, ii. 402.

Watt (G.) on basalt, i. 151.

Wavellite, a new mineral, i. 181.

Wax, vegetable, from Brazil, i. 404.

Weaver (Thos.) on the fossil elk of Ireland, ii. 246.

- Weights and measures, account of the construction and adjustment of the new standards of, ii. 254.
- Wells (W. C.), experiments on vision, i. 411.
- Whale:—structure of the stomach of the, i. 256; on the organ of hearing in the, i. 415.
- Wheat tainted with must, process of purifying, ii. 57; on the *Vibrio tritici*, the cause of that disease called ear-cockle or purples in, ii. 179.
- Whewell (Rev. W.), general method of calculating the angles made by any planes of crystals, ii. 227.
- Whidbey (J.), account of the sinking of the Dutch frigate *Ambuscade*, and mode of recovery, i. 124.
- , account of fossil bones found in caverns inclosed in the limestone rocks at Plymouth, ii. 60, 142; on some fossil bones discovered in caverns at Oreston, ii. 186.
- Wilson (Dr. A. P. W.) on the functions of the nervous system, ii. 373.
- Wine, proportion of alcohol contained in several kinds of, i. 408.
- Winter solstice of 1812, Mr. Pond's observation of, i. 457.
- Wires, extremely fine, method of drawing, i. 455.
- Wollaston (Dr. W. H.) on double images caused by atmospherical refraction, i. 16; on the chemical production and agency of electricity, i. 61; method of examining refractive and dispersive powers by prismatic reflection, i. 90; on the oblique refraction of Iceland crystal, i. 92; on a new metal found in crude platina, i. 162; on the finite extent of the atmosphere, ii. 160; on the discovery of palladium, i. 207; on the force of percussion, i. 213; on fairy-rings, i. 260; on super-acid and sub-acid salts, i. 289; on platina and native palladium from Brazil, i. 330; on the identity of columbium and tantalum, i. 336; description of a reflective goniometer, i. 337; on muscular action, origin of sea-sickness, and advantages derived from riding, i. 348; on cystic oxide, i. 376; on the non-existence of sugar in the blood of persons labouring under diabetes mellitus, i. 391; on the primitive crystals of carbonate of lime, bitter spar, and ironstone, i. 422; on a periscopic camera obscura and microscope, i. 438; on the elementary particles of certain crystals, i. 446; on a method of freezing at a distance, i. 448; description of a single lens micrometer, i. 455; method of drawing extremely fine wires, i. 455; synoptic scale of chemical equivalents, i. 477; on the cutting diamond, ii. 43; experiments on the mass of native iron found in Brazil, ii. 45; discovery of traces of potash in sea-water, ii. 111; on the methods of cutting rock crystal for micrometers, ii. 124; on sounds inaudible by certain ears, ii. 133; on the concentric adjustment of a triple object-glass, ii. 157; on metallic titanium, ii. 180; on the apparent magnetism of metallic titanium, ii. 199; on semi-decussation of the optic nerves, ii. 211; on the apparent direction of the eyes in a portrait, ii. 214; method of rendering platina malleable, ii. 352; description of a microscopic doublet, ii. 353; method of comparing the light of the sun with that of the fixed stars, ii. 355; on the water of the Mediterranean, ii. 355; on a differential barometer, ii. 363.
- Wollaston (Rev. F. J. H.), description of a thermometrical barometer for measuring altitudes, ii. 68; on the measurement of Snowdon, ii. 132.
- Wombat, structure of the, i. 310.
- Wood and stone, on the strength of, ii. 87.
- Woodhouse (Rev. Rob.) on the necessary truth of conclusions obtained by means of imaginary quantities, i. 39; demonstration of a theorem relative to the solidity of a sphere, i. 42; on the analytical and geometrical methods of investigation, i. 70; on the integration of differential expressions with which problems in physical astronomy are connected, i. 150; on the transit instrument of the Cambridge Observatory, ii. 261; on the derangements of transit instruments by the effects of temperature, ii. 311.
- Wootz, experiments on, i. 183.

Worm-shells, description of a rare species of, i. 233, 334.

Y.

Yarrell (W.) on the change in the plumage of hen-pheasants, ii. 317.

Yelloly (Dr.) on the tendency to calculous diseases, and nature of urinary concretions, ii. 359, 413.

Young (Dr. T.) on sound and light, i. 8; on the mechanism of the eye, i. 35; on the theory of light and colours, i. 63; on some cases of the production of colours, not hitherto described, i. 92; experiments and calculations relative to physical optics, i. 131; on the cohesion of fluids, i. 171; hydraulic investigations for ascertaining the motion of the blood, i. 298; on the functions of the

heart and arteries, i. 314; table of elective attractions, and on the sequences of double decomposition, i. 325; remarks on the oblique riders, &c. in the construction of ships, i. 494; on the probabilities of error in physical observations, and on the density of the earth, ii. 106; expression for the refraction of an atmosphere resembling that of the earth, ii. 207; formula for expressing the decrement of human life, ii. 275.

Z.

Zariffa, on the stomach of the, ii. 389.

Zeolite, on a mineral substance formerly supposed to be, i. 209; composition of, i. 396.

Zoophytes, experiments on, i. 25.

THE END.